

REV. 11/98  
For Other Than A Small Entity

Docket No. ODS/6

Applicant(s) : Connie T. Marshall et al.  
For : SYSTEMS AND METHODS FOR INTERACTIVE  
WAGERING USING MULTIPLE TYPES OF USER  
INTERFACES

EXPRESS MAIL CERTIFICATION

"Express Mail" mailing label number EJ852798123US.

Date of Deposit June 11, 1999.

I hereby certify that this transmittal letter and the other papers and fees identified in this transmittal letter as being transmitted herewith are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and are addressed to the Hon. Assistant Commissioner for Patents, Washington, D.C. 20231.

Hon. Assistant Commissioner  
for Patents  
Washington, D.C. 20231

*Connie T. Marshall*  
New York, New York  
June 11, 1999

TRANSMITTAL LETTER FOR  
ORIGINAL PATENT APPLICATION

Sir:

Transmitted herewith for filing are the  
[X] specification; [X] claims; [X] abstract;  
[X] unexecuted declaration and [X] power of attorney,  
for the above-identified patent application.

Also transmitted herewith are:

[X] 154 sheets of:

[ ] Formal drawings.

[X] Informal drawings. Formal drawings will be filed during the pendency of this application.

06/11/99  
jc600 U.S. PTO

09330963 06/11/99

jc649 U.S. PTO  
09/330963  
06/11/99

☐ Certified copy(ies) of application(s)

(country)	(appln. no.)	(filed)
(country)	(appln. no.)	(filed)
(country)	(appln. no.)	(filed)

from which priority is claimed.

☐ An assignment of the invention to \_\_\_\_\_

☐ A check in the amount of \$40.00 to cover the recording fee.

☐ Please charge \$40.00 to Deposit Account No. 06-1075 in payment of the recording fee. A duplicate copy of this transmittal letter is transmitted herewith.

☐ An associate power of attorney.


The filing fee has been calculated as shown below:

FOR	NUMBER FILED	NUMBER EXTRA	RATE	FEE
BASIC FEE				\$760.00
TOTAL CLAIMS	32 - 20 =	12	X \$ 18 =	\$216.00
INDEPENDENT CLAIMS	2 - 3 =	0	X \$ 78 =	\$ 0.00
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$260 =	\$ 0.00
			TOTAL	<u>\$976.00</u>

☒ A check in the amount of \$976.00 in payment of the filing fee is transmitted herewith.

- [ ] This application is being filed unaccompanied by a filing fee. The appropriate filing fee will be paid in response to a Notice to File Missing Parts, pursuant to 37 C.F.R. § 1.53(d).
- [X] The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 C.F.R. § 1.16, in connection with the paper(s) transmitted herewith, or credit any overpayment of same, to deposit Account No. 06-1075. A duplicate copy of this transmittal letter is transmitted herewith.
- [ ] Amend the specification by inserting before the first line the sentence: -- This is a [ ] continuation-in-part, of application Serial No.: \_\_\_\_\_, filed \_\_\_\_\_, entitled \_\_\_\_\_.
- [ ] Please charge \$\_\_\_\_\_ to Deposit Account No. 06-1075 in payment of the filing fee. A duplicate copy of this transmittal letter is transmitted herewith.

Respectfully submitted,

  
Matthew T. Byrne  
Registration No. 40,934  
Attorney for Applicants

FISH & NEAVE  
1251 Avenue of the Americas  
New York, New York 10020-1104  
Tel.: (212) 596-9000

SYSTEMS AND METHODS FOR INTERACTIVE WAGERING  
USING MULTIPLE TYPES OF USER INTERFACES

5 Background of the Invention

This invention relates to interactive wagering systems and methods. More particularly, this invention relates to interactive wagering systems and methods that enable wagers to be placed via a  
10 television set-top box, via a computer, and/or via a telephone.

Wagering on sporting events such as horse, dog, and harness racing is a popular leisure activity. However, it is sometimes inconvenient to attend racing  
15 events in person. Not all racing fans have sufficient time to visit race tracks as often as they would like and some fans have difficulty in obtaining suitable transportation to the track. Thus, there is a need for wagering services for fans who cannot attend racing  
20 events in person.

Off-track betting establishments, which are generally more readily accessible than race tracks, have attempted to fill this need. However, a racing fan who desires to place a wager still faces the



prospect of traveling to the off-track betting establishment.

Wagering via telephone is another option. A user of a telephone-based system typically sets up a telephone account against which wagers may be made. In  
5 order to place wagers, the user must interact with a computerized telephone ordering system by pressing appropriate buttons on a touch-tone telephone. This type of system is mainly used for placing wagers. Detailed racing information is typically obtained from  
10 other sources, such as printed racing programs.

Wagering via a television set-top box is still another option. As described in Brenner et al. United States Patent 5,830,068, which is hereby incorporated by reference herein in its entirety, known  
15 systems enable a user to receive wagering information and place wagers using a television set-top box in a user's home.

Wagering via computer is yet another option. Using a computer, a user can similarly receive wagering  
20 information and place wagers from the user's home.

Although, systems for telephone, set-top box, and computer wagering are known, no known system provides an integrated wagering system that enables a user to receive wagering information and place wagers  
25 using more than one of these methods. Moreover, many known systems for telephone, set-top box, and computer wagering are difficult to use and do not provide a user-friendly interface.

It would therefore be desirable to provide  
30 systems and methods for interactive wagering that provide an integrated wagering system that can be accessed by telephone, set-top box, and/or computer.

It would also be desirable to provide systems and methods for interactive wagering that provide an easy to use interface that allows the user to quickly navigate through the available options to place a  
5 wager.

It would further be desirable to provide systems and methods for interactive wagering that provide a user interface that provides both an expert wagering mode and a novice wagering mode.

10 Summary of the Invention

It is therefore an object of this invention to provide systems and methods for interactive wagering that provide an integrated wagering system that can be accessed by telephone, set-top box, and/or computer.

15 It is also an object of the invention to provide systems and methods for interactive wagering that provide an easy to use interface that allows the user to quickly navigate through the available options to place a wager.

20 It is further an object of the invention to provide systems and methods for interactive wagering that provide a user interface that provides both an expert wagering mode and a novice wagering mode.

The present invention provides systems and  
25 methods for interactive wagering. Preferred embodiments of these systems and methods incorporate a wagering data hub which controls the flow of data relating to wagers, wagering events, and wagering accounts. In order to access this data, a user of the  
30 present invention may use a television set-top box, a computer, a telephone, and/or any other suitable

device. To communicate with the wagering data hub,  
television set-top boxes preferably use a two-way cable  
system or a one-way cable or satellite system with  
telephone backhaul, computers preferably use a computer  
5 network, and telephones preferably use a telephone  
network, although each may use any suitable mechanism  
or combination of mechanisms to communicate with the  
wagering data hub.

Users using television set-top boxes,  
10 computers, or any other suitable devices with video  
and/or audio presentation capabilities may receive  
wagering event video and/or audio from a video  
production system coupled to a wagering event. This  
video and/or audio may be routed to the set-top boxes,  
15 computers, or other devices directly through any  
suitable communication network, such as a cable or  
satellite system, a telephone network, or a computer  
network, or indirectly through the wagering data hub.  
By having wagering event video and/or audio available,  
20 a user can watch a wagering event at the same time as  
when, or in between, placing wagers.

Also connected to the wagering data hub are a  
subscriber management system, one or more tote  
companies, one or more racing data providers, and one  
25 or more handicapping data providers. The subscriber  
management system enables an operator of the  
interactive wagering system to control access by users  
and setup and maintain player accounts. The subscriber  
management system also provides player wagering history  
30 data to the wagering data hub. The tote companies  
provide wagering event data to and receive wagers from  
the wagering data hub. The wagering data hub also

receives wagering event data from the racing data providers and handicapping data from the handicapping data providers.

To facilitate interactive wagering, the present invention provides graphical user interfaces and interactive voice response interfaces. The graphical user interfaces are preferably presented on the set-top boxes and on the computers which access the wagering data hub. In preferred embodiments of these user interfaces, a variety of wagering and information dispensing features are provided. For example, these user interfaces provide both expert and novice wagering interfaces that enable experts and novices to place wagers quickly and easily in accordance with their relative levels of experience. In the expert interface, a single page incorporating multiple lines of wagering information is used to construct a wager. The wagering information displayed in the expert interface is abbreviated so as to enable the user to identify the information without being bogged down by unnecessary detail. In the novice interface, multiple pages of wagering information are used to construct a wager. The wagering information displayed in the novice interface is presented in an easy to understand layout so as to simplify the wagering process.

As another example, information dispensing features of the user interface include a variety of handicapping, track, and player information displays. Handicapping information may include odds and payout data, horse, trainer, jockey/driver, and track statistics, expert commentary, and program information. Track information may include schedule, results, news,

and weather data for a selected track. Player information may include player news, player betting information, player account balance, and player betting history.

5           As mentioned above, the preferred embodiments of the present invention also include interactive voice response (IVR) interfaces. These interfaces are preferably presented through telephones which access the wagering data hub. The IVR interfaces enable a  
10 user to place wagers, get account balances, get odds, get results, get help, and customize the user interface.

#### Brief Description of the Drawings

15           The above and other objects and advantages of the present invention will be apparent upon consideration of the following detailed description, taken in conjunction with the accompanying drawings, in which like reference characters refer to like parts throughout, and in which:

20           FIG. 1 is a block diagram of a wagering system constructed in accordance with one embodiment of the present invention;

            FIG. 2 is a block diagram of a wagering data hub suitable for use with the wagering system of  
25 FIG. 1;

            FIG. 3 is a block diagram of a subscriber management system suitable for use with the wagering system of FIG. 1;

30           FIG. 3A is a block diagram of a set-top box and related equipment suitable for use with the wagering system of FIG. 1;

FIGS. 4-5 are illustrations of screen displays through which a user may initiate a set-top box or computer user interface in accordance with one embodiment of the present invention;

5           FIGS. 6-7 are illustrations of main menu screen displays that may be presented in a set-top box or computer user interface in accordance with one embodiment of the present invention;

10           FIG. 8 is a flow diagram illustrating a proBET mode that may be presented in a set-top box or computer user interface in accordance with one embodiment of the present invention;

15           FIGS. 9-25 are illustrations of screen displays that may be presented as part of the proBET mode in a set-top box or computer user interface in accordance with one embodiment of the present invention;

20           FIG. 26 is a flow diagram illustrating a build a bet mode that may be presented in a set-top box or computer user interface in accordance with one embodiment of the present invention;

25           FIGS. 27-53 are illustrations of screen displays that may be presented as part of the build a bet mode in a set-top box or computer user interface in accordance with one embodiment of the present invention;

30           FIG. 54 is a flow diagram illustrating a handicapping mode that may be presented in a set-top box or computer user interface in accordance with one embodiment of the present invention;

            FIGS. 55-90 are illustrations of screen displays that may be presented as part of the

handicapping mode in a set-top box or computer user interface in accordance with one embodiment of the present invention;

FIG. 91 is a flow diagram illustrating a  
5 track information mode that may be presented in a set-top box or computer user interface in accordance with one embodiment of the present invention;

FIGS. 92-100 are illustrations of screen  
displays that may be presented as part of the track  
10 information mode in a set-top box or computer user interface in accordance with one embodiment of the present invention;

FIG. 101 is a flow diagram illustrating a  
player information mode that may be presented in a set-  
15 top box or computer user interface in accordance with one embodiment of the present invention;

FIGS. 102-107 are illustrations of screen  
displays that may be presented as part of the player  
information mode in a set-top box or computer user  
20 interface in accordance with one embodiment of the present invention;

FIG. 108 is a flow diagram illustrating a  
setup mode that may be presented in a set-top box or  
computer user interface in accordance with one  
25 embodiment of the present invention;

FIGS. 109-119 are illustrations of screen  
displays that may be presented as part of the setup  
mode in a set-top box or computer user interface in  
accordance with one embodiment of the present  
30 invention;

FIG. 120 is a flow diagram illustrating the  
functioning of drop down menus that may be presented in

a set-top box or computer user interface in accordance with one embodiment of the present invention;

FIGS. 121-122 are illustrations of drop down menus that may be presented in a set-top box or  
5 computer user interface in accordance with one embodiment of the present invention;

FIG. 123 illustrates an alternate mechanism for initiating a set-top box or computer user interface in accordance with one embodiment of the present  
10 invention;

FIGS. 124-126 are illustrations of alternate types of screen displays that may be presented in a set-top box or computer user interface in accordance with one embodiment of the present invention; and  
15

FIGS. 127-151 are flow diagrams illustrating an interactive voice response (IVR) interface that may be presented in accordance with one embodiment of the present invention.

#### Detailed Description of the Invention

20 One embodiment of an interactive wagering system 100 in accordance with the present invention is shown in FIG. 1. As illustrated, system 100 includes a wagering data hub 102 that controls wagering in system 100 and that may be coupled to one or more television  
25 set-top boxes 104, one or more user telephones 106, and one or more user computers 108. Using any set-top box 104, telephone 106, or computer 108 coupled to hub 102, a user of the present invention can receive information regarding wagering events and wagering accounts, and  
30 place wagers related to those wagering events. The wagering data hub 102 may also be connected to a





receiving video signals via link 134, system 112, and link 130, video signals may be received from video production system 120 via communication link 140, hub 102, and link 138. Although links 128 and 130 are  
5 illustrated as separate paths for transmitting signals, each link may be part of a single communication mechanism. For example, link 128 may transmit signals in the vertical blanking interval of a video signal carried in link 130.

10 Set-top boxes 104 may transmit wagering data signals to wagering data hub 102 via communication link 136, television distribution system 112, and communication link 142 and/or via communication link 138. Communication link 138 is preferably a telephone  
15 connection, although any suitable connection (such as an Internet connection, etc.) could also be used.

The signals received and transmitted by set-top box 104 may be any suitable type of analog and/or digital signals that are transmitted using any suitable  
20 method.

Television distribution system 112 and communication links 128, 130, 132, 134, 136, and 142 are preferably all part of a cable television system, although each may be part of any suitable communication  
25 system or combination of communication systems, such as satellite television systems, over-the-air television systems (including RF, microwave, etc.), and computer networks (e.g., the Internet). Similarly to links 128 and 130, link 136 may be incorporated with either or  
30 both of links 128 and 130 as part of a single communication mechanism if desired, and links 132 and

142 may be incorporated together as part of a single communication mechanism if desired.

User telephones 106 preferably connect to hub 102 via telephone line 144, although any suitable  
5 mechanism for connecting user telephones 106 to hub 102 may also be used. Although user telephones 106 are illustrated as standard telephones, any type of device for receiving audio prompts that may be heard by a user and for responding to those prompts (either by spoken  
10 word or key depression) may also be used.

User computers 108 preferably connect to hub 102 via computer network 146. Computer network 146 may be any suitable mechanism for connecting a computer to hub 102, such as a direct telephone connection, one or  
15 more telephone connections and a data network connection (such as an Internet connection or a connection provided by computer network provider), or a direct data network connection.

Subscriber management system 110 enables the  
20 operator of the present invention to control access by users to the services provided by hub 102. In addition to being connected to hub 102 by communication link 148, subscriber management system is also connected to tote companies 114 via communication link 150.  
25 Communication links 148 and 150 may be any suitable mechanism for communicating data and may use any type of data transmission method. The connection to tote companies 114 enables subscriber management system 110 to create and update wagering accounts that are located  
30 at tote companies 114. In preferred embodiments of the present invention, when a wager is placed by a user using one of set-top boxes 104, telephones 106, and

computers 108, hub 102 accesses subscriber management system 110 to verify that the wager is authorized. One embodiment of a subscriber management system 110 is described further below in connection with FIG. 3.

5           As stated above, tote companies 114, racing data providers 116, and handicapping data providers 118 may be connected to hub 102 via communication links 150, 152, and 154, respectively. Tote companies 114 preferably provide wagering event data and account  
10 information to hub 102, and receive wager information from hub 102. Racing data providers 116 and handicapping data providers 118 preferably provide statistical and handicapping data to hub 102. As shown, tote companies 114 and racing data providers 116  
15 typically receive data from race tracks 122 and 124 via communication links 158, while handicapping data providers typically receive data from one or more of racing data providers 116 via communication link 156. The data received from and transmitted to tote  
20 companies 114, racing data providers 116, and handicapping data providers 118 may be transmitted over links 150, 152, and 154 using any suitable method, and these communication links may be any suitable mechanisms for transmitting that data. Similarly,  
25 communication links 156 and 158 may be any suitable mechanism for transmitting data that use any suitable method.

Turning additionally to FIG. 2, wagering data hub 102 (FIG. 1) is illustrated in further detail. As  
30 shown, hub 102 includes a data distribution system 202, a database 204, a set-top server (non-telco) 206, a set-top server (telco) 208, an interactive voice

response (IVR) server 210, a personal computer (PC) server 212, a modem bank 214, and interface circuitry 216. Data distribution system 202 and database 204 work in conjunction with each other to receive, store, and provide racing statistical and handicapping data from and to other components in system 100 of the present invention. As illustrated, racing data may be received from tote companies 114 (via interface circuitry 216) and racing data providers 116, and handicapping data may be received from handicapping data providers 118. This racing and handicapping data may then be provided to set-top servers 206 and 208, IVR server 210, and PC server 212.

Set-top server (non-telco) 206 may provide data and video signals to, and receive data signals from, set-top terminals 104 via television distribution system 112. Set-top server (telco) 208 may provide data and video signals to, and receive data signals from, set-top terminals 104 via modem bank 214 and communication link 138. To coordinate the data sent between servers 206 and 208, hub 102 may incorporate a link 218 between the servers, or the servers may be consolidated into a single mechanism.

Interactive voice response server 210 may provide interactive voice prompts to telephones 106 via link 144. These prompts may be a menu of actual or simulated voice options to which a user can respond by speaking or depressing a button on one of telephones 106. Through these prompts, server 210 may provide account information and racing and handicapping data, including information about various races, horses,

jockeys, odds, etc. Through these responses, server 210 may receive wager data.

PC server 212 may provide data and video signals to, and receive data signals from, computers 5 108 via modem bank 214 and link 146 or through link 146 alone. When computers 108 access server 212 via a telephone line, the computers preferably use bank 214 and link 146. When computers 108 use a computer network connection (such as the Internet) to access 10 server 212, the computers preferably bypass modem bank 214.

In order to authorize and submit wagers, each of servers 206, 208, 210, and 212 preferably provide data to and receive data from tote companies 114 (via 15 interface circuitry 216 and link 150) and subscriber management system 110 (via link 148). For example, when a user requests to place a wager via any of these servers, the corresponding server may send an authorization request to either subscriber management 20 system (SMS) 110 or one of tote companies 114. When the request is sent to a tote company 114, the server may select the desired tote company from among several available tote companies. In response to that request, the SMS 110 or tote 114 may reply with an 25 authorization. The server may then send the wager to the tote company (if not already completed).

Similarly, to notify the users of the status or history of their accounts or to credit those accounts with additional funds or winnings, account 30 information and money transfer information may be transmitted to and received from the tote or SMS. For example, using a user interface from one of a set-top



302 and interface computer 304 may be any suitable devices for storing data and accessing the data base, respectively. Each of stations 306, 308, and 310 may be any suitable computers for accessing database 302  
5 and tote companies 114.

Although wagering data hub 102 and subscriber management system 110 are illustrated as separate systems and may be located at separate facilities, it should be noted that hub 102 and system 110 may be  
10 combined into a single system at a single location, or may be further split apart into finer sub-units at remotely connected locations.

As shown in FIGS. 1-3, by centralizing the storage of race and handicapping data in database 204  
15 and account information in database 302, the present invention provides a more cost-efficient and centralized interactive wagering system that may be accessed by users using a variety of methods. For example, a user may access race and handicapping data  
20 from home using a set-top box 104 in order to consider a wager to be made. Later, that user may place that wager using a cellular telephone while away from his or home. Finally, from the user's office, the user can then use his or her PC to check the status of the wager  
25 to determine if the user won. In this way, a user may access any of his or her accounts using any of the interfaces provided in the interactive wagering system. Alternatively, for example, wagering enthusiasts who do not have access to a set-top box 104 or a computer 108  
30 may still receive race, handicapping, and account information and place wagers using the IVR interface accessible using telephones 106.



An illustration of a set-top box 104 (FIG. 1) and related components is shown in FIG. 3A. As can be seen, set-top box 104 may be connected to television distribution system 112 by links 128, 130, and 136.

5 Set-top box 104 may also be connected to a telephone network by link 138. Through these connections, set-top box 104 is able to communicate with wagering data hub 102 (FIG. 1). In order to control set-top box 104, a remote control 352, a keyboard 354 (e.g., an infrared  
10 keyboard), and/or a pointing device 356 may also be provided. Additionally, set-top box 104 may be connected to a videocassette recorder 360 (or any other suitable television appliance) and/or a television 362, and any other local equipment 364 (such as a personal  
15 computer that is connected to a cable modem in set-top box 104). In order to control a videocassette recorder 360, an infrared transmitter (or any other suitable control interface, such as an RS-232 interface) may also be provided.

20 Set-top box 104 may include tuning, communications, and display circuitry 366, a modem 368, a receiver 370, control circuitry 372, a data port 374, indicators 376, and memory 378. Tuning, communications, and display circuitry 366 may be any  
25 suitable circuitry for receiving, splitting, combining, and/or distributing video and data signals to and from the television distribution system 112, control circuitry 372, memory 378, videocassette recorder 360, and television 362. Modem 368 may be any suitable  
30 device for communicating data with a telephone network. Receiver 370 may be any suitable device for receiving signals from keyboard 354. Control circuitry 372 may

be any suitable device, such as a microprocessor, microcontroller, dedicated logic, a computer, etc., for controlling the functionality of set-top box 104. Data port 374 may be any suitable interface for  
5 communicating with local equipment 364. Indicators 376 may be any suitable devices for indicating events and statuses to a user, including light-emitting diodes, displays, audio systems, etc. Finally, memory 378 may be any suitable storage device or devices for storing  
10 data, including random access memory, flash memory, a disk drive, etc.

During operation, control circuitry 372 will preferably execute instructions stored in memory 378. Through these instructions, the control circuitry will  
15 control the flow of video and data through circuitry 366, control the flow of data through modem 368, receiver 370, data port 374, and infrared transmitter 358, and drive indicators 376. More particularly, these instructions may cause a user interface as  
20 described below to be implemented on television 362.

A variety of user interfaces can be provided at set-top boxes 104, telephones 106, and computers 108 (FIG. 1) in accordance with the present invention. One embodiment of a user interface that may be implemented  
25 on set-top boxes 104 and computers 108, for example, is illustrated in FIGS. 4-122. Although specific combinations of features are illustrated in these figures, any subset of these features and many additional features could be implemented in accordance  
30 with the present invention. Also, although the illustrated embodiment of the user interface is directed to wagering on horse racing, it should be

noted that this user interface could be modified for any type of wagering event.

Turning first to FIGS. 4 and 5, two examples of methods for accessing the user interface are shown.

5 As illustrated in FIG. 4, the user interface could be accessible from the main menu 400 of an interactive television program guide. In addition to listing menu options for displaying information about television programs and for performing other functions, such a  
10 menu could include a menu option 402 that, when selected, would initiate the user interface. Additionally or alternatively, as illustrated in FIG. 5, the user interface could be initiated using a prompt 502 that appears on top of a user television program  
15 500. This prompt could appear on top of any television program (for example, when triggered by the start of a race for which a wager has been placed (as explained below)) or could appear on top of wagering event programs only when those programs are selected for  
20 viewing (for example, when triggered by a signal in the vertical blanking interval of a program or by an attached program guide). Also illustrated in FIG. 5, is a banner 504 that indicates that the user has tuned to the "TVG" channel and that that channel is currently  
25 showing horse racing. Although illustrated in FIG. 5, banner 504 is optional.

Once the user interface has been initiated, one of the main menus in FIGS. 6 or 7 is displayed. As illustrated in FIG. 6, an initial main menu 608 is  
30 displayed in screen 600. Initial main menu 608 is preferably only presented when a user uses the user interface for the first time. The initial main menu

608 may also be displayed when the user interface detects that the user is making many mistakes, or at any other suitable time. At all other times, normal main menu 702 shown in FIG. 7 is displayed when the user activates the user interface.

As shown, screen 600 also includes a status bar 601 that includes an operator icon 602, a current function indicator 604, and a clock 606. As will be illustrated in other figures that follow, status bar 601 may include other pieces of information as well. Operator icon 602 indicates to the user that "TVG" is the operator of system 100 (FIG. 1). Function indicator 604 indicates to the user that he or she is currently in the main menu. As the user moves through different menus, function indicator 604 preferably changes to indicate the current function being used.

Initial main menu 608 includes a "Tour TVG" option 610, a "How To Open Account" option 612, a "Player Setup" option 614, and a "Watch TVG" option 616. Any of these options (or any of the options in the subsequent menus) may be selected by using a remote control to reposition the highlight that is illustrated around option 610 to a desired option and to select that option. Alternatively, any other suitable method for selecting the menu options (such as using a computer mouse or keyboard) may be used in accordance with the present invention.

Turning to the options, "Tour TVG" option 610 preferably causes a tutorial of the features and operation of the user interface to be presented to the user. This tutorial could be presented in any method known in the art. Similarly, "How To Open Account"

option 612 preferably causes instructions to be presented to the user that instruct him or her how to open an account for wagering. These instructions may additionally enable the user to actually open an  
5 account using the user interface or may require the user to contact the operator directly (for example, by calling a "1-800" telephone number). "Player Setup" option 614 enables the user to access the player setup submenu. The player setup submenu is discussed further  
10 in connection with FIGS. 109-118 below. Finally, "Watch TVG" option 616 causes the user interface to terminate and a wagering television channel (or any other suitable channel) to be displayed as illustrated in FIG. 5.

15 FIG. 7 illustrates normal main menu 702 in screen 700. As shown, menu 702 includes a "proBET" option 704, a "Build-A-Bet" option 706, a "Handicapping" option 708, a "Track Information" option 710, a "Player Information" option 712, a "Setup"  
20 option 714, and a "Watch TVG" option 716.

When a user selects "proBET" option 704 from menu 702, series 800 of screen displays 900-2500 (FIGS. 9-25) illustrated in FIG. 8 can be accessed. More particularly, when a user selects option 704,  
25 screen 900 is displayed as shown in FIG. 9. As can be seen, in screen 900, current function indicator 604 indicates that the user is currently operating in the "proBET" menu function. In this mode, a selection window 902 is first displayed. Window 902 includes an  
30 action indicator 904 that indicates to the user the next action that must be taken. In this case, the user is required to select a track for the bet. To do so,

below indicator 904, the user is presented with a track option indicator 906 and a series of track options 908. The user interface then waits for the user to select one of options 908. In FIG. 9, it can be seen that the user has highlighted "GUL" which is an abbreviation for "Gulfstream."

Once the user has selected a track, screen 1000 is displayed as shown in FIG. 10. As illustrated, status bar 601 now includes a track indicator 1002 that indicates that the user has selected "Gulfstream." Similarly, track options 908 next to track option indicator 906 have changed their appearance so that all of options 908 except for track option 1004 (the selected track option) are dark in color and track option 1004 is light in color. Further, to indicate the track selection, a ticket window 1006 in screen 1000 shows a track indication 1008 that preferably uses the same abbreviation as that selection from track options 908.

In screen 1000, the user is required to select one of race choices 1010 as indicated by race choice indicator 1012. As can be seen, the left-most choice 1010 is indicated as "MRB." This is a "multi-race bet" choice that requires selections from multiple races. Next to the right-most choice 1010 is an arrow 1014 that indicates that other race choices 1010 are available by scrolling to the right of the right-most choice.

Once the user has selected a race, screen 1100 is displayed as shown in FIG. 11. As can be seen, the user's selection of race 2 in screen 1000 (FIG. 10) is indicated in a race countdown 1102 in status bar

601, in the display colors of race options 1010, and in race indication 1104 of ticket window 1006. Similarly to selecting the race, the user is next required in screen 1100 to select the type of bet (or wager). Next  
5 to a type indicator 1106, a series of type options 1108 are displayed. Arrow 1110 indicates that additional options 1108 are available. Choices "EXA," "EXB," "TRI," "TRB," "WIN," "PLC," and "SHW" indicate the common horse racing bet types "exacta," "exacta-box,"  
10 "trifecta," "trifecta-box," "win," "place," and "show," respectively.

Turning to FIG. 12, it can be seen that the user has selected "trifecta" from type indicator 1202 in ticket window 1006 of screen 1200. Because the user  
15 has selected a "trifecta" race type, three place selections (i.e., 1st, 2nd, and 3rd) must be selected by the user. If the user had selected a "win" race type, for example, then only a single place selection would be required. In response to place choices 1204,  
20 the user is then required to select at least one first place choice, at least one second place choice, and at least one third place choice, each from the corresponding row of choices 1204.

After the user has selected the place  
25 choices, screen 1300 is displayed as illustrated in FIG. 13. As shown, the user has selected one first place choice (choice "5"), one second place choice (choice "2"), and three third place choices (choices "3", "4", and "6"). Because of these last three  
30 choices, the user is in effect placing three wagers: one for choices "5", "2", and "3"; one for choices "5", "2", and "4"; and one for choices "5", "2", and "6".

At this point, the user interface requires the user to select a per bet amount from one of amount choices 1302. As the user moves the highlight to select each one of the choices 1302, the total bet amount indicated in ticket window is preferably updated.

Finally, once the user has selected the bet amount from screen 1300, the user is presented with screen 1400 as shown in FIG. 14 to confirm the bet by selecting "OK" icon 1402 before the bet is placed in a bet queue. As shown in FIG. 8, how the user interface proceeds upon confirming the bet depends on whether only a single player is currently accessing the interface or whether multiple players are accessing the interface. The user interface may determine whether a single player is or multiple players are accessing the interface by referring to the status of the players setup as illustrated in and discussed in connection with FIG. 115. If multiple players are active, the user interface next displays the display shown in FIG. 21 (and described below). Otherwise, the user interface proceeds to screen 1500 shown in FIG. 15.

As illustrated in FIG. 15, screen 1500 includes a queue window 1502. Within queue window 1502 are a bet queue 1508, action selections 1504, an action indicator 1506, and a total bet indicator 1510. From bet queue 1508, the user can see all of his or her previously placed, but unsent bets. Total bet indicator 1510 indicates to the user the total amount of the bets waiting to be sent. Also shown in window 1502 is an odds window 1512. Using this odds window, the user can monitor the odds for each horse to win. As can be seen, horse "1" is showing 7-to-1 odds to



win. By selecting one of action selections 1504, the user can indicate to the user interface how to proceed with the bets shown in the queue. More particularly: by selecting the "New" selection 1504, the user can add  
5 another bet; by selecting the "Dup" selection 1504, the user can duplicate a bet; by selecting the "Send" selection 1504, the user can send the bets; by selecting the "Del" selection 1504, the user can delete a bet; and by selecting the "Menu" selection 1504, the  
10 user can access a drop down menu as illustrated in and explained in connection with FIGS. 120-122. As the user scrolls through each of selections 1504, the user interface updates action indicator 1506 to indicate what will happen if the selection is selected.

15 As can be seen from FIG. 8, if the user selects the "New" option, the user interface will return the user to screen 1100 of FIG. 11. At this point, the user interface will use the track and race selections chosen by the user in making the previous  
20 wager. If the user would like to change those selections, however, the user may move the highlight up to choices 1010 (FIG. 10) or options 908 (FIG. 9).

If the user selects the "Dup", "Del", or "Menu" options, the user interface will enable the user  
25 to duplicate a bet, delete a bet, or access a drop down menu, respectively, as described below in connection with FIGS. 47-53 and 120-122.

If the user selects the "Send" option, then the user interface displays screen 1600 in FIG. 16. As  
30 illustrated, screen 1600 includes a pin-entry window 1602. Using window 1602, the user can then enter a personal identification number (pin) into pin field

1604. By properly entering the account holder's (i.e., Pete's) pin, the user interface knows that the user is in fact the account holder.

After properly entering his or her pin, the user is then presented with a sending bets window 1702 as shown in screen 1700 of FIG. 17. Window 1702 includes a list of the bets to be sent such that the bets are identified by the player placing the bet, the track and race corresponding to the bet, the type of bet, and the amount of the bet. In a status field 1704 of window 1702, the user is notified of the status of the transmission of the wagers. In the illustration of FIG. 17, field 1704 indicates "dialing." This indication is shown to notify the user that the user interface is currently accessing the telephone. In certain embodiments of the present invention, a "dialing" indication may not be presented when the user interface accesses hub 102 by a mechanism other than a telephone connection and, accordingly, an alternate message may be displayed.

When the wagers are actually being transferred to hub 102 (FIG. 1), status field 1704 indicates that the user interface is "sending" the bets to the hub as shown in screen 1800 of FIG. 18.

Finally, once the bets have been completely sent, sending bets window 1702 is replaced by a bets sent window 1902 as shown in screen 1900 of FIG. 19. Although not shown in screen 1900, if the sending of any one or more of the bets displayed is unsuccessful (e.g., because of insufficient funds in the wagerer's account or because a selected horse has been scratched), that bet may be indicated as being unsent

by not listing the bet in window 1902, by listing the  
bet in a different color in window 1902, by listing the  
bet with a "not sent" icon in window 1902, or by any  
other suitable method. For example, as shown in screen  
5 1950 of FIG. 19a, a bets sent window 1952 may be  
displayed. In the illustration, the user has attempted  
to send bets for multiple players (i.e., "Pete,"  
"Kevin," and "CM"). As shown in window 1952, a bet  
1956 may be shown in a specific color, such as red, to  
10 indicate that the bet was not sent. To receive further  
information on why the bet was not sent, the user may  
subsequently reposition highlight 1954 from around next  
button 1904 to bet 1956. When bet 1956 is highlighted,  
the user interface may then display a message  
15 indicating why the bet was not sent (e.g., insufficient  
funds in the player's account). Once the user is done  
viewing the bets sent, the viewer may proceed with the  
user interface by selecting next button 1904.

After next button 1904 has been selected,  
20 screen 2000 is displayed as shown in FIG. 20 with bet  
queue 1502 cleared of the bets that were sent. Any  
unsent bets could also preferably be cleared.  
Alternatively the unsent bets could be retained and the  
user given an option to edit those bets by proceeding  
25 through the selections of FIGS. 9-14. At this point,  
as shown in FIG. 8, the user may proceed by selecting  
one of action selections 1504 as described above in  
connection with FIG. 15.

As mentioned above, after a user has  
30 confirmed a bet in screen 1400 of FIG. 14, the user  
will proceed to screen 2100 of FIG. 21 when multiple  
players are accessing the user interface. As shown in

FIG. 21, screen 2100 includes a player identification window 2102. Using window 2102, the user can then identify the desired player's account. After the user has identified the desired player's account (as shown, 5 Pete's), the user is required to enter a pin in pin-entry window 2202 of screen 2200 shown in FIG. 22. Pin-entry window 2202 operates substantially the same as pin-entry window 1602 described in connection with FIG. 16. Likewise, once the pin has been successfully 10 entered, the user is then presented with a queue window 2302 as shown in screen 2300 of FIG. 23. Queue window 2302 operates substantially the same as queue window 1502 described in connection with FIG. 15.

When the user selects to send all bets from 15 queue window 2302, the user is then presented with a player send selection window 2402 as shown in screen 2400 of FIG. 24. Using window 2402, the user then indicates each of the player accounts for which bets are to be sent. Once the user is finished, the user 20 selects send button 2404 from window 2402 to proceed to screen 2500 of FIG. 25. As shown in FIG. 25, the user is then prompted for the pin of each player selected in window 2402 before the corresponding bets can be sent to hub 102. Once each pin has been entered, the user 25 interface performs the functions illustrated in FIGS. 17-20 (and described in connection therewith) as shown in FIG. 8.

As shown in FIGS. 9-14, the proBET mode of the illustrated embodiment of the present invention 30 provides a very efficient interface for the experienced wagerer. Using this interface, the wagerer can typically make all of the selections required to make a

wager on a single screen. At the same time the wagerer is not bogged down by being presented with unnecessary information, such as the full horse names or race start times, with which the wagerer is already familiar. On  
5 the other hand, for the less experienced wagerer, an interface such as that in the proBET mode may be too intimidating because of its inherent brevity. For such a user, the present invention provides a novice interface as illustrated in the Build-A-Bet mode show  
10 in FIGS. 26-53.

To activate the Build-A-Bet mode, the user selects "Build-A-Bet" option 706 from menu 702 (FIG. 7), and thereby causes series 2600 of screen displays 2700-5300 (FIGS. 27-33) illustrated in FIG. 26  
15 to be presented. More particularly, when a user selects option 706 (FIG. 7), screen 2700 is displayed as shown in FIG. 27. As can be seen, in screen 2700, when "Build-A-Bet" option 706 is selected, current function indicator 604 in status bar 601 indicates that  
20 the user interface is in the Build-A-Bet mode. In this mode, a ticket window 2702 and tab options 2704 are displayed.

Ticket window 2702 shows a simulated wagering ticket that is updated as the user makes his or her  
25 selections.

Tab options 2704 show the information that is required for the user to place a wager. For example, the left-most tab 2706 indicates that the user must select a track for the wager. A track is selected by  
30 selecting one of track options 2708. As with other menu selections, in the Build-A-Bet mode, the user may select an option 2708 by positioning the highlight that

is shown around the "Gulfstream" option to a desired option and pressing the select key on a remote control, or by any other suitable method. Although only three tab options 2704 are illustrated in screen 2700, arrow  
5 2710 may be presented to indicate that other tab options are available to be selected. To move between tabs, the user may press a right or left arrow key on a remote control (or make any other suitable input) to move the highlight illustrated around "Gulfstream" to  
10 other tabs.

Once a user has selected a track from screen 2700, the user interface next presents a screen 2800 as illustrated in FIG. 28. As shown, screen 2800 indicates the track selection made by the user in the  
15 status bar 601 and ticket window 2702. At this point, the user is preferably required to select a race at the selected track. This may be done by either manually selecting race selection tab 2802 or by tab 2802 automatically being selected, and then by picking one  
20 of race options 2804. As shown, some races, such as race "1" may be finished (as indicated by "F") and thus may not be selectable.

After a user has made a race selection in screen 2800, as with the track selection and subsequent  
25 wager selections, the race selection is indicated in ticket window 2702 as shown in screen 2900 of FIG. 29. As also shown, the race selection may be indicated in status bar 601. The user is then prompted for a wager type selection from one of wager options 2904 in wager  
30 type tab 2902. As shown in screen 3000 of FIG. 30, if a user is uncertain about what an individual bet or wager type is, the user may highlight the bet or wager

type (as shown in FIG. 29) and then press a help button on a remote control (for example), or otherwise select a help function, to access a help window 3002. This help window preferably provides a description of what the wager type requires for the user to win.

If, in response to screen 2800 shown in FIG. 28, the user selects a "Multi-Race Bet", the user interface will preferably show a bet type tab 3102 as illustrated in screen 3100 of FIG. 31. As can be seen, tab 3102 includes wager type options 3104 for a "daily double", a "pick 3", and a "pick 6".

Assuming that the user has picked race "2" and a "trifecta" wager type, a screen 3200 is then displayed as shown in FIG. 32. Once again, ticket window 2702 is updated to show the race and wager type selections. Because the user has selected a trifecta wager type, the user interface now includes a finish first tab 3202, a finish second tab 3204, and a finish third tab (not shown, but indicated by arrow 3206). In response to finish first tab 3202, the user is required to select at least one of finish first selections 3208. As the user highlights each of selections 3208, the full name of the selection highlighted may be displayed in a display field 3210. As illustrated, the user has selected "5 Timely Kitten". This selection is also indicated in ticket window 2702. After the user has selected the finish first selection, the user selects at least one finish second selection from finish second tab 3202 (shown in screen 3300 of FIG. 33) and at least one finish third selection from finish third tab 3402 (shown in screen 3400 of FIG. 34). As these selections





temporarily in a partial or full screen overlay, or in a underlying display where a portion of the user interface is partially transparent.

In yet other embodiments of the present invention, one or more pieces of information related to the jockey and/or horse could be presented as the user highlights each horse. Such information could include handicapping information, the odds for that horse to win, place, or show, the name of the jockey, the name of the trainer, and/or any other suitable information.

Next, as shown in screen 3500 of FIG. 35, the user is required to select an amount for the wager from amount options 3504 in amount tab 3502. As similarly described in connection with FIG. 13 above, when the user positions the highlight on different amount options 3504, total cost field 3506 in ticket window 2702 is preferably updated to indicate how each highlighted amount option affects the total cost of the bet.

As can be seen from FIG. 26, once the user has selected an amount for the wager from screen 3500, the user interface may proceed to screen 3600 (FIG. 36) if a single player is active or screen 4200 (FIG. 42) if multiple players are active. The user interface may determine whether a single player is or multiple players are active by referring to the status of the players setup as illustrated in and discussed in connection with FIG. 115. If only a single player is active, as shown in FIG. 36, the user is shown a bet queue 3610 as part of bet queue tab 3602. Also included in tab 3602 are action selections 3606, an action indicator 3608, and a total bet indicator 3612.

Also displayed in screen 3600 is an odds window 3604. Odds window 3604 operates substantially the same as odds window 1512 described above in connection with FIG. 15. Action selections 3606, action indicator  
5 3608, bet queue 3610, and total bet indicator 3612 operate substantially the same as action selections 1504, action indicator 1506, bet queue 1508, and total bet indicator 1510, respectively, of FIG. 15.

If the user selects the "Send" action  
10 selection 3606 from screen 3600 of FIG. 36, the user interface then prompts the user for a pin using a pin-entry window 3702 as shown in screen 3700 of FIG. 37. After the user has properly entered the required pin, the user interface then displays a sending bets window  
15 3802 and sends the bets as shown in screens 3800 and 3900 of FIGS. 38 and 39, respectively. Finally, once the bets have been sent, the user interface displays bets sent window 4002 as shown in screen 4000 of FIG. 40. The operation of windows 3702, 3802, and 4002 is  
20 substantially the same as windows 1602, 1702, and 1902 as described above in connection with FIGS. 16-19. After the user interface has sent all of the bets, bet queue 3610 is cleared as illustrated in screen 4100 of FIG. 41.

25 Turning back to screen 3500 of FIG. 35, once the user has selected an amount for the wager, the user interface will display screen 4200 as illustrated in FIG. 42 if multiple players are active. As shown in screen 4200, the user is then prompted for a player  
30 name associated with the most-recent wager using player selection window 4202. After a player name has been selected from screen 4200, the user interface then

prompts the user for a pin for that player's account using pin-entry window 4302 as shown in screen 4300 of FIG. 43. Next, all of the bets for that player are displayed in bet queue 3610 of tab 3602 as shown in  
5 screen 4400 of FIG. 44. If the user selects "Send" action selection 3606, the user interface then prompts the user to indicate which player accounts have bets that are ready to be sent using a player selection window 4502 as shown in screen 4500 of FIG. 45. For  
10 each player selected using window 4502, the user interface also prompts the user for that player's pin using pin-entry window 4602 as shown in screen 4600 of FIG. 46. After all of the players have been selected and the corresponding pins entered, as shown in FIG.  
15 26, the user interface then sends the bets as described in connection with FIGS. 38-41 above.

Whenever bets are in bet queue 3610 (or in bet queue 1508 of FIG. 15), in addition to having the option of sending those bets, the user also has the  
20 option of duplicating or deleting those bets. The user may duplicate a bet by selecting the "Dup" action selection 3606 as shown in screen 4700 of FIG. 47. Next the user is required to select the bet that he or she desires to duplicate as illustrated in screen 4800  
25 of FIG. 48. This may be done by highlighting the desired bet using highlight 4802 and pressing a select button on a remote control. Finally, as shown in screen 4900 of FIG. 49, the selected bet will then be shown as duplicated in bet queue 3610.

30 If the user selects the "Del" action selection 3606 from screen 5000 of FIG. 50, the user interface will allow the user to delete a bet already

placed. The user interface will next prompt the user to select a desired bet to be deleted. As shown in screen 5100 of FIG. 51, this may be done by positioning a highlight 5102 on a bet and pressing a select button on a remote control. Once a bet is selected, the user interface will then prompt the user to confirm that the selected bet is to be deleted by displaying a delete bet confirmation window 5202 as shown in screen 5200 of FIG. 52. Finally, after the user has confirmed that the bet is to be deleted, the bet will be removed from bet queue 3610 as shown in screen 5300 of FIG. 53.

If the user selects "Handicapping" option 708 from main menu 702 as shown in screen 700 of FIG. 7, the user interface will present a series 5400 of screen displays 5500-9000 (FIGS. 55-90) as illustrated in FIG. 54. More particularly, after a user has selected option 708, the user interface will first display a track selection screen 5500 as illustrated in FIG. 55. As shown, screen 5500 includes a track selection tab 5502 and a first race time listing window 5504. Window 5504 preferably includes a date, a listing of the abbreviated names of tracks available for selection, and a listing of the time for a first race at each of those tracks. Tab 5502 includes a set of track options 5506 that may be selected by a user to indicate the track for which handicapping data is desired.

After the user has selected a track from screen 5500, screen 5600 is displayed, as shown in FIG. 56, to allow the user to select a race for which handicapping data is desired. As shown in FIG. 56, the track selected by the user is indicated in a field 5602 of status bar 601 of screen 5600. Also displayed in

screen 5600 is a race tab 5604. Tab 5604 includes a set of race options 5606. As illustrated, some of these options 5608 and 5610 may be blacked out to indicate that the race is not available for selection.

- 5 In this example, option 5610 is not available because race "1" has already been finished (as indicated by the "F" in option 5610) and option 5608 is not available because it is a multi-race bet that includes race "1".

- Once the user has selected a race option
- 10 5606, screen 5700 is displayed to allow the user to select one of handicapping mode options 5702 from "Options" tab 5708 as shown in FIG. 57. Preferably also included in screen 5700 are an indication 5704 of the time remaining until the selected race in status
- 15 bar 601 and an odds display window 5706 that displays the odds for each horse to win in the selected race.

- If the user selects the "Odds/Probabilities" option 5702 from tab 5708, "Exacta Will Pay" tab 5802 in screen 5800 is next displayed to allow the user to
- 20 see the payout on a \$2 bet for an exacta bet including a selected horse and each other horse. To see these payouts, the user must highlight one horse from horse selection options 5804 that are displayed in tab 5802. As shown in FIG. 58, one or more horses 5806 may be
- 25 scratched from the available options. Once the user has highlighted a horse 5808, payout window 5810 is displayed with an indication of the highlighted horse ("3 and"), the selected track ("AQU"), the selected race ("2"), and the payout for each other horse. In
- 30 payout window 5810, the payout for horse "3" is indicated as "-" because a user cannot make an exacta wager on horses "3 and 3", and the payout for horse

"10" is indicated as "scr" because horse "10" has been scratched.

If a particular payout in window 5810 is appealing to the user, the user may then select the  
5 desired combination as shown in screen 5900 of FIG. 59. As shown, the user has selected horse "13" and highlighted horse "3". Next, as shown in screen 6000 of FIG. 60, the user interface will prompt the user to see if the user desires to place a wager on the  
10 selected pair using a bet window 6002. Window 6002 may include a list of different bet types available to the user based on the user's horse selections. For example, as illustrated, the user can select an exacta bet for horse "3" then "13" or horse "13" then "3", or  
15 the user can select an exacta box bet for horses "3" and "13". From within window 6002, the user may select to place one or more of the displayed bets.

Additionally or alternatively to using the "Exacta Will Pay" tab 5802 when the user selects the  
20 "Odds/Probabilities" option 5702, the user may also operate the "exacta matrix" tab 6102, as shown in screen 6100 of FIG. 61, to see the payout on a \$2 exacta bet including a highlighted horse and each other horse. As the user highlights each horse (as  
25 illustrated, horse "3"), tab 6102 is updated to show the exacta payout for the two combinations of the highlighted horse and each other horse.

As with "Exacta Will Pay" tab 5802, once the user has selected a first horse, the user may then also  
30 select a second horse to construct a wager as shown in screen 6200 of FIG. 62. As illustrated, the user has selected horse "3" and is in the process of selecting

horse "13". Next, the user interface will display a bet window 6302 as shown in screen 6300 of FIG. 63. Window 6302 operates substantially the same as window 6002 shown in FIG. 60.

5           Also available to the user upon selecting "Odds/Probabilities" option 5702 is the "Win Percent" tab 6402 shown in screen 6400 of FIG. 64. As illustrated, tab 6402 includes an indication of the percentage of all bets placed so far that have been  
10 placed for each horse to win, place, and show. Although only six horses are shown, arrow 6404 indicates that other horses are available upon scrolling the listing downward. Total display 6406 indicates the total value of the wagers placed for any  
15 horse to win, place, or show. As with tabs 5802 (FIG. 58) and 6102 (FIG. 61), the user may then select a horse and then place a wager on that horse. For example, as illustrated in bet window 6502 of screen 6500 of FIG. 65, the user has selected horse "4" to win  
20 at "Aqueduct" in race "2".

          Upon selecting "Odds/Probabilities" option 5702, the user may also select the "Win Pool" tab 6602 as shown in screen 6600 of FIG. 66. As can be seen, tab 6602 displays the total value of the wagers placed  
25 for each horse to win, place, or show. As with the "Win Percent" tab 6402, the user may select a horse from tab 6602 and place a wager using bet window 6702 as illustrated in screen 6700 of FIG. 67.

          Although "Exacta Will Pay" tab 5802  
30 (FIG. 58), "Exacta Matrix" tab 6102 (FIG. 61), "Win Percent" tab 6402 (FIG. 64), and "Win Pool" tab 6602 (FIG. 66) as illustrated are configured for exacta and

win bets, these features of the user interface of the present invention could be implemented using any other suitable betting type. For example, "Exacta Will Pay" tab 5802 and "Exacta Matrix" tab 6102 could alternately  
5 be implemented as a "Trifecta Will Pay" tab and a "Trifecta Matrix" tab. As another example, "Win Percent" tab 6402 and "Win Pool" tab 6602 could be implemented as a "Show Percent" tab and a "Show Pool" tab. In order to facilitate implementing these  
10 features with other bet types, the present invention may display a bet type selection tab, such as tab 2902 as shown in screen 2900 of FIG. 29, prior to displaying tabs 5802, 6102, 6402, and 6602.

If the user selects "Horse Data" option 6802  
15 from handicapping "Options" tab 5708 as shown in screen 6800 of FIG. 68, the user will then be given the option of seeing "snapshot", "records", and "speed & class" data for each horse. As shown in screen 6900 of FIG. 69, the snapshot data is displayed in a "Snapshot" tab  
20 6902. The snapshot data may include the number of days off, the number of wins and starts, a power rating, and the morning line for each horse. The power rating may be any suitable method for comparing horses. As shown in screen 7000 of FIG. 70, the record data is displayed  
25 in a "Records" tab 7002. The records data may include the number of races by, the number of wins for, the number of second places for, and the amount won from wagers on, each horse. As shown in screen 7100 of FIG. 71, the speed and class data is displayed in a "Speed  
30 and Class" tab 7102. The speed and class data may include the speed in the last race, the average speed, the current class, and the last class for each horse.



The user may also view trainer statistics by selecting a "Trainer Stats" option 7202 from tab 5708 as shown in screen 7200 of FIG. 72. After the user has selected option 7202, the user may then view records data, recent wins data, and pairings data for the trainer of each horse. As shown in screen 7300 of FIG. 73, the records data is displayed in a "Records" tab 7302. The records data may include the number of races, wins, and second places, and the average for the trainer of each horse. As shown in screen 7400 of FIG. 74, the recent wins data is displayed in a "Recent Wins" tab 7402. The recent wins data may include the number of wins in the last 10 races, 20 races, and 50 races for the trainer of each horse. As shown in screen 7500 of FIG. 75, the pairings data is displayed in a "Pairings" tab 7500. The pairings data may include the number of starts and wins with this horse, and the number of starts and wins with this jockey, for the trainer of each horse.

To view jockey and driver handicapping data, the user may select "Jockey/Driver" option 7602 from tab 5708 as shown in screen 7600 of FIG. 76. After the user has selected option 7602, the user may then view records data, recent wins data, and pairings data for the jockey or driver of each horse. As shown in screen 7700 of FIG. 77, the records data is displayed in a "Records" tab 7702. The records data may include the number of races, wins, and second places, and the average for the jockey or driver of each horse. As shown in screen 7800 of FIG. 78, the recent wins data is displayed in a "Recent Wins" tab 7802. The recent wins data may include the number of wins in the last 10

The pairings data may include the number of starts and  
5 wins with this horse, and the number of starts and wins  
with this trainer, for the jockey or driver of each  
horse.

The user can view commentary data by selecting the "Commentary" option 8202 from tab 5708 as shown in screen 8200 of FIG. 82. Upon selecting option 8202, the user may view commentary data from any handicapping data provider 118 connected to system 100 (FIG. 1). For example, handicapping data may be available from two handicapping data providers 118 (FIG. 1) called "AXCIS" and "DRF". To access this data, the user can select "AXCIS" tab 8302 (as shown in screen 8300 of FIG. 83) or "DRF" tab 8402 (as shown in screen 8400 of FIG. 84).

To view program data regarding the selected race, the user can select "Program" option 8502 from tab 5708 as shown in screen 8500 of FIG. 85. Once the user has selected option 8502, the user may then view the post position for each horse from a "Post Position" tab 8602 (as shown in screen 8600 of FIG. 86) or race

information from a "Race Info" tab 8702 (as shown in screen 8700 of FIG. 87). The race information may include the race length, the track type (e.g., turf, mud, etc.), the race type (e.g., claiming), the purse  
5 amount, the horse category, the jockey weight class, the claiming price, and any other suitable information.

Finally, from tab 5708, the user may select "More Services" option 8802 as shown in screen 8800 of FIG. 88 to receive information on other data,  
10 information, and picks that are available. As shown in screens 8900 (FIG. 89) and 9000 (FIG. 90), the user may receive information, such as telephone numbers and Internet addresses that may be used by the user to receive additional data, information, or picks, using a  
15 "Data/Info" tab 8902 and a "Picks" tab 9002. Although not shown, in some embodiments of the present invention, the user may be prompted for a pin using a pin-entry window when "picks" tab 9002 is shown. Then, if the pin is entered, picks data may be displayed to  
20 the user for a fee.

From main menu 700 (FIG. 7), the user can select "Track Information" option 710 to receive information including schedules, results, weather, and news. As shown in FIG. 91, when the user selects  
25 option 710, the user may access series 9100 of screen displays 9200-10000 (FIGS. 92-100). More particularly, when the user selects option 710, the user interface first displays screen 9200 as shown in FIG. 92. As illustrated, screen 9200 includes an "Options" tab 9202  
30 and a first-race-time listing window 9206. "Options" tab 9202 includes "Schedule", "Results", "Weather", and "News" options 9204. Window 9206 includes a listing of

each available race track and the starting time for the first race at that track. When the user selects "Schedule" option 9204 from tab 9202, a "Racing Schedule" tab 9302 is displayed as shown in screen 9300 of FIG. 93. Using tab 9302, the user can select a day for which racing schedule information is desired. To view days other than the days shown, the user can preferably scroll past the first and last days listed. Once a day has been selected, window 9206 displays the racing schedule information for the selected day.

If the user selects "Results" option 9204 from tab 9202, the user interface first displays a "Track" selection tab 9402 as illustrated in screen 9400 of FIG. 94. Using this tab, the user can select a race track from track options 9404 for which results data is desired. Once the user has selected a track, the user interface prompts the user to select a specific race from race options 9504 at that track using a "Race" selection tab 9502 as shown in screen 9500 in FIG. 95. Each race option 9504 may include a race number, an indicator that indicates if the race is finished (as shown "F"), and a post time. Because the user is seeking to display results, preferably only races that have been completed may be selected.

Once the user has selected a race, screen 9600 as shown in FIG. 96 is displayed. As can be seen screen 9600 includes a "Results" tab 9602 that may include a listing of the first five (or any suitable number) of finishing horses and the payouts for those horses in the win, place, and show wager types with a \$2 bet. Tab 9602 may also include a listing of the

payouts for other types of bets such as exacta, quinella, etc.

If the user selects "Weather" option 9204 from options tab 9202 (FIG. 92), the user interface presents a "Track" selection tab 9702 as shown in screen 9700 of FIG. 97. Using tab 9702, the user may then select a track for which the user would like weather information. Once the user has selected a track, the user interface displays a weather tab 9802 that displays weather information for the selected track as shown in screen 9800 of FIG. 98. As shown, this weather information may be forecast data or current condition data, and may include an indication of the date, city, cloud coverage, temperature, track condition, wind level and direction, humidity, barometric pressure, and any other suitable information.

If the user selects "News" option 9204 from tab 9202 (FIG. 92), the user interface presents a "Track" selection tab 9902 as shown in screen 9900 of FIG. 99. Using tab 9902, the user selects a track for which the user would like news information. Once the user has selected a track, the user interface then displays a "News" tab 10002 that displays any track related news that may be of interest to the user, as shown in screen 10000 of FIG. 100.

To receive information relating to a player's accounts, the user may select the "Player Information" option 712 from main menu 702 (FIG. 7). Once the user has selected option 712, the user interface presents a series 10100 of screen displays 10200-10700 (FIGS. 102-107) as shown in FIG. 101. More

particularly, a "News" tab 10202 may first be displayed as shown in screen 10200 of FIG. 102. Tab 10202 may include any news related to the service provided by the operator of system 100 (FIG. 1). This information may  
5 be particular to the user or one of the player accounts, or may be general information. If multiple players are currently accessing the user interface, the user interface preferably next prompts the user to identify a player account using player selection window  
10 10302 as shown in screen 10300 in FIG. 103.

Once the user has selected a player account from window 10302 or if only a single player is accessing the system, then the user interface next asks the user to enter a pin for the current account using a  
15 pin-entry window 10402 as shown in screen 10400 in FIG. 104. Once the user has entered the proper pin, the user interface next allows the user to display a "Bet Queue" tab 10502 as shown in screen 10500 of FIG. 105. Tab 10502 operates substantially the same as  
20 tab 3602 described above in connection with FIG. 36. The user may also display a "Balance" tab 10602 as shown in screen 10600 of FIG. 106. As illustrated, tab 10602 shows the current balance of the selected player's account. The user may further display a  
25 "History" tab 10702 as shown in screen 10700 of FIG. 107. As shown, tab 10702 shows the selected player's wagering history. This wagering history may be for only a limited period of time, and may include the date, the track, the race, the per bet amount, the  
30 type, the selected horses, the total cost, and any other suitable information for each wager in the player's history (or a portion thereof). For example,

the history display may only list bets having time stamps that were assigned to those bets by wagering data hub 102, subscriber management system 110, or a tote company 114 during a certain period of time (e.g.,  
5 at least ten minutes ago through to seven days ago).

As explained above in connection with FIGS. 1-3, by providing centralized data storage using wagering data hub 102 and subscriber management system 110, the player account information displayed in FIGS.  
10 105-107 may reflect wagers made using a set-top box 104, a telephone 106, and/or a computer 108.

If the user selects "Setup" option 714 from main menu 702 (FIG. 7), the user interface enables the user to maintain the player accounts and telephone  
15 settings. As shown in FIG. 108, upon selecting option 714, the user interface enables the user to access series 10800 of screen displays 10900-11900 (FIGS. 109-119) as shown in FIG. 108. More particularly, after the user has selected option 714,  
20 screen 10900 as shown in FIG. 109 is displayed. Screen 10900 includes a "Player" options tab 10902, a "System" options tab 10908, and a players status window 10906. Players status window 10906 shows a list of the players setup in the user interface and whether those players  
25 are active.

"Players" options tab 10902 enables the user to add a player, delete a player, change the status of a player, and change the pin of a player. These functions are initiated by selecting one of options  
30 10904. If the user selects "Add Player" option 10904, add player window 11002 is displayed as shown in screen 11000 of FIG. 110. Using window 11002, the user can

enter the name of the player to be added. Next, using a player account window 11102 as shown in screen 11100 of FIG. 111, the user can enter the account number for the player. This account number may be a pre-arranged  
5 account number assigned by the operator of system 100 (FIG. 1), may be a credit card number, or may be any other suitable number to identify the owner of the player's account. Then, using player pin window 11202 as shown in screen 11200 of FIG. 112, the user can  
10 enter a pin for the new account. This pin is preferably entered twice to insure that it has been entered correctly. Finally, as shown in screen 11300 of FIG. 113, players status window 11304 is updated to show the new player "JOE".

15 As also shown in screen 11300 of FIG. 113, if the user selects "Delete Player" option 10904 from tab 10902 (FIG. 109), a delete player window 11302 is displayed. Using window 11302, the user can then select the player to be deleted. Next, as shown in  
20 screen 11400 of FIG. 114, a delete player confirmation window 11402 will be displayed to confirm the user's player deletion choice. Upon selecting the "Yes" option in window 11402, the selected player (as shown "BETTY") will be deleted. This deletion will then be  
25 shown in players status window 11504 as illustrated in screen 11500 of FIG. 115. In preferred embodiments of the present invention, only selected players may be authorized to delete player accounts. For example, the first player account entered into the user interface  
30 may be designated as the interface owner. Whenever a user then attempts to delete a player account, the user may be prompted to enter a pin that corresponds to the



owner's account. As another example, many or all players may be authorized to delete player accounts.

If the user selects "Change Status" option 10904 from tab 10902 (FIG. 109), toggle status window 11502 will be displayed as shown in screen 11500 of FIG. 115. In some embodiments, player account names shown in a dark color (e.g., name 11506) are not active and player account names in a light color (e.g., name 11508) are active. By selecting any player name, the status of the account will change from active to not active or vice versa. As shown in players status window 11604 in screen 11600 of FIG. 116, by toggling the status of player "JONI", the "active" status for this player was changed from "NO" to "YES".

In order to change the pin associated with a player account, the user may select "Change Pin" option 10904 of tab 10902 (FIG. 109). Upon selecting option 10904, player selection window 11602 is displayed as shown in screen 11600 of FIG. 116. After selecting the player account for which the pin is to be changed, a change player pin window 11702 is displayed as shown in screen 11700 of FIG. 117. Once the user has entered the old pin for the account and has entered the new pin for the account twice, the pin change is confirmed using pin change confirmation window 11802 as shown in screen 11800 of FIG. 118.

If the user selects "System" option tab 10908 from screen 10900 of FIG. 109, the remainder of the tab is displayed as shown in screen 11900 of FIG. 119. Using tab 10908, the user can indicate whether a number is needed to dial out and, if so, what that number is. The user can also indicate whether the telephone

service has a "call waiting" feature and, if so, what the disable code is for that service. Finally, the user can select a "Menu" option 11902 in tab 10908 to activate a drop down menu as described in FIGS.

5 120-122.

The user interface also provides a series of drop down menus that can be access from the above-described screens 900-11900 (FIGS. 9-119). Using these drop down menus, the user can navigate to other parts  
10 of the user interface or exit the user interface. As shown in FIG. 120, when the user interface detects that a user has pressed a menu key (or has made any other suitable indication to initiate display of a drop down menu, such as selecting a menu option from a bet queue  
15 tab) at step 12004, the user interface next determines if the user has a race currently selected at step 12006. If it is determined that the user does have a race currently selected, then, at step 12008, the user interface displays a drop down menu with a "This Race"  
20 portion, such as in menu 12102 of screen 12100 FIG. 121. If it is determined that the user does not have a race currently selected, then, at step 12010, the user interface displays a drop down menu without a "This Race" portion, such menu 12202 of screen 12200 in  
25 FIG. 122.

Turning to FIG. 121, drop down menu 12102 is discussed in more detail. As shown, menu 12102 includes two portions 12104 and 12106. "This Race" portion 12104 is tied to the currently selected race.  
30 In screen 12100, the user is using the proBET feature and thus the user has selected a race for the purpose of placing a bet. Selecting a race, however, may be

done for any purpose, such as getting handicapping data as shown in screen 5700 of FIG. 57.

When the user selects one of choices 12108, 12110, 12112, and 12114 from "This Race" portion 12104 of drop down menu 12102, the user interface will present screens related to the particular function selected, but with the race already selected. For example, when the user selects "Win Odds/Ticket" choice 12108, the user interface will toggle between displaying a ticket window (such as ticket window 1006 in screen 1100 of FIG. 11 or ticket window 2702 in screen 2900 of FIG. 29) and displaying an odds window (such as odds window 1512 in screen 1500 of FIG. 15 or odds window 3604 in screen 3600 of FIG. 36). When the user selects "Handicapping" choice 12110, the user interface will display options tab 5708 as shown in screen 5700 of FIG. 57. Using options tab 5708, the user can then access handicapping data as illustrated in, and described in connection with, FIG. 54. From "Will Pays" choice 12112, the user can access "Exacta Will Pay" tab 5802 for the selected race as shown in screen 5800 of FIG. 58. Finally, by selecting "Pools" choice 12114, the user may navigate to "Win Pool" tab 6602 for the selected race as shown in screen 6600 of FIG. 66.

Unlike "This Race" portion 12104 of menu 12102, "Option" portion 12106 of menu 12102 is not tied to any particular race. Thus, when one of choices 12116, 12118, 12120, 12122, and 12124 is selected, the feature that is subsequently initiated is not initiated based upon any particular race. More particularly, when the user selects "Account Information" choice

12116, the user interface initiates the series 10100 of screen displays illustrated in FIG. 101. When the user selects "Results & Prices" choice 12118, the user interface initiates the series 9100 of screen displays illustrated in FIG. 91.

When the user selects "proBET/Build-A-Bet" choice 12120, the action taken by the user interface depends on the current area of the user interface being accessed by the user at the time menu 12102 is activated. If the user is not operating in a betting mode, such as one of the screen displays in series 800 of FIG. 8 or one of the screen displays in series 2600 of FIG. 26, the user interface will activate the last betting mode operated by the user. For example, if the last bet placed by the user was in the proBET mode, the user interface would initiate the proBET mode if menu 12102 were initiated from a handicapping screen. If the user is operating in a betting mode, however, the user interface will then toggle the current betting mode (if only two betting modes are available) or rotate the betting mode (if more than two betting modes are available). In doing so, the user interface will preferably transfer all entries already submitted by the user into the new betting mode.

Finally, by selecting "Main Menu" choice 12122 or "Watch TVG" choice 12124, the user may return to main menu 702 (FIG. 7) or view a user television program 500 (FIG. 5), respectively.

As described above in connection with FIG. 120, if the user accesses the drop down menu when a race has not already been selected, the user interface will then present a menu such as menu 12202 of screen

12200 of FIG. 122. As can be seen, menu 12202 does not have a "This Race" portion. Instead, each menu choice displayed is operated independently of any particular race.

5                   When selected, each of choices 12204, 12206, 12214, and 12216 perform substantially the same function as described above in connection with choices 12116, 12118, 12122, and 12124, respectively, of menu 12102. Selecting "proBET" choice 12208 preferably will  
10 cause series 800 of screen displays as shown in FIG. 8 to be displayed. Selecting "Build-A-Bet" choice 12210 preferably will cause series 2600 of screen displays as shown in FIG. 26 to be displayed. Finally, selecting "Handicapping" choice 12212 preferably will cause  
15 series 5400 of screen displays as shown in FIG. 54 to be displayed.

                  In some embodiments of the present invention, the context sensitivity of menus 12102 and 12202 may extend beyond that explained above. For example, if  
20 drop down menu 12102 is initiated from the proBET mode as shown in screen 12100, option 12120 may only say "BUILD-A-BET" rather than "proBET/BUILD-A-BET" as illustrated. When selected, option 12120 may cause the user interface to switch from the proBET mode to the  
25 BUILD-A-BET mode. Similarly, as another example, if either menu 12102 or 12202 were initiated from the Handicapping mode, handicapping options 12110 and 12212 may be replaced with other options.

                  In some embodiments of the present invention,  
30 the user interface facilitates the automatic and manual selection of default entries to many of the prompts presented in the screen displays describes above.

- Automatic selection of default entries may be implemented when only a single player is active, for example, by monitoring each wager that is placed by a user, and causing a prompt's highlight to initially
- 5 appear on the most frequently selected selection each time a prompt is displayed. For example, if a user makes trifecta bet types most frequently, the highlight in a wager type selection prompt could initially appear as shown in tab 2902 of screen 2900 of FIG. 29.
- 10 Automatic selection of default entries could also be implemented by determining the entries that provide the user with the highest probability of winning or that will make the player the most money while still meeting a given minimum probability of winning threshold. For
- 15 example, the horse with the best odds of winning may be selected as the default horse selection.

- Manual selection of default entries could be implemented by adding a "Default" action selection 3606 to bet queue displays such as bet queue tab 3602 (FIG.
- 20 36) or by specially selecting an entry. With a "Default" action selection 3606, for example, after a user places a bet, the user could select "Default" action selection 3606. Doing so would cause the selections made by the user for the bet become the
- 25 default entries. Various methods of specially selecting an entry could also be used to designate default entries. For example, when an entry is selected by pressing a button on a remote control, a selection could be designated as a default by pressing
- 30 the button for an extended period of time until that selection blinks. As another example, a default button could be added to a remote control so that the user may

highlight an entry and press the default button to make the entry a default entry.

Although specific methods for designating entries as default entries are discussed above for both  
5 automatic and manual designation, any suitable method for doing so may be used in accordance with the present invention.

Some embodiments of the present invention may simultaneously display multiple wagering events and  
10 enable the user to select one or more of the events to initiate the user interface or to cause a full screen display of the wagering event to be displayed. For example, as shown in screen 12300 of FIG. 123, four race displays 12302, 12304, 12306, and 12308 are  
15 presented in different portions of screen 12300. To select one of displays 12302, 12304, 12306, and 12308, a highlight 12310 may be provided to enable the user to position the highlight on a desired display and subsequently or simultaneously select that display.  
20 One or more of the displays may also include an indicator 12312 that identifies a displayed track, race, or any other suitable information, or enables the user to select the display.

Upon a user selecting one of multiple  
25 displayed wagering events, the present invention may then initiate the user interface and automatically set certain prompts with default entries that correspond to the selected event. For example, if a user is viewing screen 12300 and selects display 12302, the user  
30 interface may then be initiated so as to cause the "Build-A-Bet" mode to be accessed. Rather than initiating this mode at "Track" selection tab 2706

(FIG. 27), the user interface may automatically pick "Aqueduct" as the selected track and race "2" as the selected race and therefore present "Type" tab 2902 (FIG. 29) first. Should the user then desire to

5 override the defaults, the user may press a left arrow button on a remote control to switch back to tab 2706 and select the desired track, or to switch back to tab 2802 and select the desired race.

Alternatively, the user interface may first  
10 display a full screen of the wagering event selected from screen 12300 as shown in screen 500 of FIG. 5. Using prompt 502, the user could then initiate the user interface.

Turning to FIG. 124, an alternate embodiment  
15 of a user interface in accordance with the present invention is shown. FIG. 124 illustrates a horse selection screen 12400. Screen 12400 includes an overlay 12402 and a background program 12404. Background program may be any television program being  
20 watched by the user prior to activating the user interface. As shown, overlay 12402 obstructs a large portion of background program 12404, although overlay 12402 may be implemented to cover any amount of background program 12404 (including the entire  
25 program). Within overlay 12402 are a finish second tab 12406, a finish third tab 12408, an amount tab 12410, a status bar 12418, a ticket window 12420, and a wagering event window 12422, as the user is in the process of entering a trifecta wager.

30 Finish second tab 12406 and finish third tab 12408 operate substantially the same, except that finish second tab 12406 is used to select a horse to



come in second, whereas finish third tab 12408 is used to select a horse to come in third, in a wagering event. As can be seen, finish third tab 12408 includes a list of horses 12416, a list of numbers 12414 for  
5 those horses, and a list of odds 12412 for those horses to win. List of numbers 12414 shows the colors of the jockeys and/or horses in the area surrounding each number indicated.

Amount tab 12410, status bar 12418, and  
10 ticket window 12420 operate substantially the same as amount tab 3504, status bar 601, and ticket window 2702 shown in screens 3500, 600, and 2700 of FIGS. 35, 6, and 27, respectively.

Wagering event window 12422 preferably  
15 displays images of a wagering event in which the user is interested. These images may be still images or full motion video, with or without sound. The images may be tied to or independent of the user's wagering selections. For example, when tied to the user's  
20 wagering selections, as the user highlights horses in tab 12408, window 12422 may be implemented to display video of the highlighted horse in training, in previous races, or at any other suitable time. When independent of the user's wagering selections, a default wagering  
25 event related television channel may be displayed in window 12422 as another example. Such video may be a clip or may be live video. Alternatively, window 12422 could be implemented to display any television program.

FIG. 125 illustrates still another embodiment  
30 of the user interface. As shown, the user interface presents a screen 12500 that includes an overlay 12502 and a background program 12504. As with overlay 12402

and program 12404 of FIG. 124, overlay 12502 may be any size and program 12504 may be any television program. Also, similarly to overlay 12402, overlay 12502 includes a finish second tab 12506, a finish third tab 5 12508, an amount tab 12510, and a status bar 12518, which operate substantially the same as their counterparts in FIG. 124. Overlay 12502 also includes a wagering event window 12520 that operates substantially the same as window 12422, although window 10 12520 occupies a much larger portion of window 12402 than window 12422 occupies in overlay 12402. Note that although overlay 12502 does not include a ticket window, a ticket window could be incorporated in overlay 12502 by shortening the displayed portion of 15 tab 12508 to make room for the ticket window.

FIG. 126 illustrates yet another embodiment of the user interface. As shown, the user interface presents a screen 12600 that includes a background program 12602 and an overlay 12604. Within overlay 20 12604 are tabs 12606, 12608, and 12610 and a status bar 12618 that are substantially the same as tabs 12506, 12508, and 12510 and status bar 12518 shown in FIG. 125. As can be seen, overlay 12604 is partially transparent so that program 12602 appears to be visible 25 through overlay 12604. Overlay 12604 may be any amount of transparency, including completely opaque and completely transparent, and the amount of transparency may be user defined.

Turning now to FIGS. 127-151, an interactive 30 voice response interface (IVR interface) that may be implemented in IVR server 210 of FIG. 2 is illustrated. Main processes 12700 and 12800 for the IVR interface is

illustrated in FIGS. 127 and 128. Process 12700 is initiated when IVR server 210 receives a new phone call at step 12702. Next, process 12700 plays a welcome greeting and any optional messages at steps 12704 and 5 12706. The user is then prompted to enter a player's account number and pin at steps 12708 and 12710. Once the user has entered a valid account number and pin, a main menu is presented at step 12712. In response to the main menu, the user may then select one of the 10 available options. In the preferred embodiment, the user may select to place a wager, get his or her account balance, get win odds, get results, get help, customize the menu, or end the call. If the user selects to place a wager, process 12700 transfers 15 control to wager entry process 12900 of FIG. 129 by implementing steps 12714 and 12716. If the user selects to get the account balance, process 12700 transfers control to account balance process 14600 of FIG. 146 by implementing steps 12718 and 12720. 20 Otherwise process 12700 transfers control to process 12800 by implementing steps 12722 and 12802 (FIG. 128).

After process 12800 has begun at step 12802, the process then determines if the user has selected to get win odds, get results, get help, customize the 25 menu, or end the call. If the user selects to get win odds, process 12800 transfers control to win odds process 14700 of FIG. 147 by implementing steps 12804 and 12806. If the user selects to get results, process 12800 transfers control to results process 14800 of 30 FIG. 148 by implementing steps 12808 and 12810. If the user selects to get help, process 12800 transfers control to help process 14900 of FIG. 149 by

implementing steps 12812 and 12814. If the user selects to customize the menu, process 12800 transfers control to customize process 15000 of FIG. 150 by implementing steps 12816 and 12818. Finally, if the user selects to end the call, process 12800 transfers control to exit process 15100 of FIG. 151 by implementing steps 12820 and 12822. Otherwise, process 12800 loops back to step 12712 of process 12700 by implementing steps 12824 and 12724 (FIG. 127).

10           The wager entry process is illustrated in FIGS. 129-145. Once the wager entry process has been initiated at step 12902, the user is prompted for a track selection at step 12904 and then the user's track selection is verified at step 12906. Similarly, process 12900 next prompts the user for a race number, verifies the race number selection, prompts the user for a wager type, and verifies the wager type selection at steps 12908, 12910, 12912, and 12914. Then process 12900 transfers control to process 13000 (FIG. 130) by implementing steps 12916 and 13002.

20           Next, through processes 13000 and 13100 (FIG. 131), the IVR interface determines the wager type selected by the user, and transfers control to the appropriate process. If the user has selected a win wager, a place wager, or a show wager, the process transfers control to win, place, show wager process 13200 by implementing steps 13004 and 13006, steps 13008 and 13010, or steps 13012 and 13014, respectively. If the user has selected a win/place wager, a win/show wager, or a win/place/show wager, the process transfers control to win/place, win/show, win/place/show wager process 13300 by implementing

steps 13016 and 13018, steps 13020 and 13022, or steps 13024 and 13026.

Otherwise process 13000 transfers control to process 13100 (FIG. 131) by implementing steps 13028  
5 and 131101. If the user has selected an exacta wager, a trifecta wager, or a quinella wager, the process transfers control to exacta, trifecta, quinella wager process 13400 by implementing steps 13102 and 13104, steps 13106 and 13108, or steps 13110 and 13112,  
10 respectively. If the user has selected a daily double, or a pick three or pick six wager, the process transfers control to daily double, pick three/six process 13500 by implementing steps 13114 and 13116, or steps 13118 and 13120, respectively. Otherwise,  
15 process 13100 transfers control back to process 12900 at step 12912 by implementing steps 13122 and 12918 (FIG. 129).

Win, place, show process 13200 is illustrated in FIG. 132. As shown, after process 13200 has begun  
20 at step 13202, the process prompts the user for a horse selection at step 13204 and then verifies the user selection at step 13206. Next at step 13208, process 13200 prompts the user for a wager amount at step 13208 and then prompts the user to confirm, change, or cancel  
25 the wager at step 13210. If the user confirms the wager, then process 13200 branches at step 13212 to step 13214 to initiate wager exit process 13600 of FIG. 136. If the user selects to change the wager, then process 13200 branches at step 13216 to step 13218 to  
30 initiate wager change process 13700 of FIG. 137. Finally, if the user elects to cancel the wager, process 13200 cancels the wager at step 13220 and then

initiates wager exit process 13600 of FIG. 136 at step 13222.

Win/place, win/show, win/place/show process 13300 is illustrated in FIG. 133. As shown, after  
5 process 13300 has begun at step 13302, the process prompts the user for a horse selection at step 13304 and then verifies the user selection at step 13306. Next at step 13308, process 13300 prompts the user for a wager amount at step 13308 and then prompts the user  
10 to confirm, change, or cancel the wager at step 13310. If the user confirms the wager, then process 13300 branches at step 13312 to step 13314 to initiate wager exit process 13600 of FIG. 136. If the user selects to change the wager, then process 13300 branches at step  
15 13316 to step 13318 to initiate wager change process 13700 of FIG. 137. Finally, if the user elects to cancel the wager, process 13300 cancels the wager at step 13320 and then initiates wager exit process 13600 of FIG. 136 at step 13322.

20       Exacta, trifecta, quinella wager process 13400 is shown in FIG. 134. As can be seen, once process 13400 is initiated at step 13402, the process prompts the user to indicate whether the wager is to be a straight, box, or wheel wager at step 13404. Next  
25 process 13400 prompts the user to select horses at step 13406. If more horses are needed to complete the wager, then process 13400 branches at step 13408 to step 13410 to prompt the user to select the next horse. Once all of the horses have been selected, process  
30 13400 verifies the horse selections at step 13412. Process 13400 then prompts the user to select a wager amount at step 13414. After the wager amount has been

selected, process 13400 prompts the user to confirm, change, or cancel the wager at step 13416. If the user confirms the wager, then process 13400 branches at step 13418 to step 13420 to initiate wager exit process  
5 13600 of FIG. 136. If the user selects to change the wager, then process 13400 branches at step 13422 to step 13424 to initiate wager change process 13700 of FIG. 137. Finally, if the user elects to cancel the wager, process 13400 cancels the wager at step 13426  
10 and then initiates wager exit process 13600 of FIG. 136 at step 13428.

Daily double, pick three/six wager process 13500 is shown in FIG. 135. As can be seen, once process 13500 is initiated at step 13502, the process  
15 prompts the user to select horses at step 13504. If more horses are needed to complete the wager, then process 13500 branches at step 13506 to step 13508 to prompt the user to select the next horse. Once all of the horses have been selected, process 13500 verifies  
20 the horse selections at step 13510. Process 13500 then prompts the user to select a wager amount at step 13512. After the wager amount has been selected, process 13500 prompts the user to confirm, change, or cancel the wager at step 13514. If the user confirms  
25 the wager, then process 13500 branches at step 13516 to step 13518 to initiate wager exit process 13600 of FIG. 136. If the user selects to change the wager, then process 13500 branches at step 13520 to step 13522 to initiate wager change process 13700 of FIG. 137.  
30 Finally, if the user elects to cancel the wager, process 13500 cancels the wager at step 13524 and then

initiates wager exit process 13600 of FIG. 136 at step 13526.

Wager exit process 13600 is illustrated in FIG. 136. As shown, once process 13600 is initiated at step 13602, the process notifies the user that the wager has been submitted at step 13604. Next, process 13600 determines whether the wager has been placed at step 13606. If the wager is confirmed as being placed, process 13600 then notifies the user that the wager has been placed at step 13610. Otherwise, process 13600 notifies the user that it cannot confirm the wager at step 13608. Process 13614 then asks the user whether he or she wants to enter another wager, return to the main menu, or end the call at step 13614. If the user chooses to enter another wager, process 13600 then transfers control back to step 12912 of FIG. 129 by implementing 13618 and 12918. If the user chooses to return to the main menu, process 13600 then transfers control back to step 12712 of FIG. 127 by implementing 13622 and 12724. If the user chooses to end the call, process 13600 then initiates exit process 15100 of FIG. 151 at step 13626. Otherwise, process 13600 transfers control back to step 12712 of FIG. 127 by implementing 13628 and 12724.

Wager change process 13700 is shown in FIG. 137. Once process 13700 has been initiated at step 13702, the process prompts the user at step 13704 to select whether the user wants to hear the current wager, confirm changes to the wager, change the wager amount, change the wager type, change the horse selections, change the race selection, change the track selection, or erase the wager and return to the main



menu. If the user selects to hear or confirm the  
wager, process 13700 then branches at step 13706 to  
initiate confirmation menu process 13800 of FIG. 138 at  
step 13708. If the user selects to change the wager  
5 amount, process 13700 then branches at step 13710 to  
initiate wager amount menu process 14000 of FIG. 140 at  
step 13712. If the user selects to change the wager  
type, process 13700 then branches at step 13714 to  
initiate wager type menu process 14100 of FIG. 141 at  
10 step 13716. If the user selects to change the horse  
selection, process 13700 then branches at step 13718 to  
initiate horse selection menu process 14200 of FIG. 142  
at step 13720. If the user selects to change the race  
selection, process 13700 then branches at step 13722 to  
15 initiate venue selection menu process 14400 of FIG. 144  
at step 13724. Finally, if the user selects to change  
the track selection, process 13700 then branches at  
step 13726 to initiate track selection menu process  
14500 of FIG. 145 at step 13728. Otherwise, process  
20 13700 transfers control to step 12712 of FIG. 127 by  
implementing steps 13730 and 12724.

Confirmation menu process 13800 is  
illustrated in FIG. 138. As shown, once process 13800  
has begun at step 13802, the process determines the  
25 wager type at step 13804. If the wager type is a win,  
place, or show, then process 13800 prompts the user to  
confirm, change, or cancel the wager at step 13806. If  
the user confirms the wager, then process 13800  
branches at step 13808 to step 13810 to initiate wager  
30 exit process 13600 of FIG. 136. If the user selects to  
change the wager, then process 13800 branches at step  
13812 to step 13814 to initiate wager change process

13700 of FIG. 137. Finally, if the user elects to cancel the wager, process 13800 cancels the wager at step 13816 and then initiates wager exit process 13600 of FIG. 136 at step 13818. If the wager type is a win/place, win/show, win/place/show, then process 13800 prompts the user to confirm, change, or cancel the wager at step 13820. If the user confirms the wager, then process 13800 branches at step 13822 to step 13824 to initiate wager exit process 13600 of FIG. 136. If the user selects to change the wager, then process 13800 branches at step 13826 to step 13828 to initiate wager change process 13700 of FIG. 137. Finally, if the user elects to cancel the wager, process 13800 cancels the wager at step 13830 and then initiates wager exit process 13600 of FIG. 136 at step 13832.

If the user has not selected a win, place, show, win/place, win/show, or win/place/show wager type, process 13800 then transfers control to process 13900 of FIG. 139 at steps 13834 and 13902. Next, if the wager type is an exacta, trifecta, or quinella, then process 13900 prompts the user to confirm, change, or cancel the wager at step 13904. If the user confirms the wager, then process 13900 branches at step 13906 to step 13908 to initiate wager exit process 13600 of FIG. 136. If the user selects to change the wager, then process 13900 branches at step 13910 to step 13912 to initiate wager change process 13700 of FIG. 137. Finally, if the user elects to cancel the wager, process 13900 cancels the wager at step 13914 and then initiates wager exit process 13600 of FIG. 136 at step 13916. Otherwise, if the wager type is a daily double, or pick three or pick six, then process 13900

prompts the user to confirm, change, or cancel the  
wager at step 13918. If the user confirms the wager,  
then process 13900 branches at step 13920 to step 13922  
to initiate wager exit process 13600 of FIG. 136. If  
5 the user selects to change the wager, then process  
13900 branches at step 13924 to step 13926 to initiate  
wager change process 13700 of FIG. 137. Finally, if  
the user elects to cancel the wager, process 13900  
cancels the wager at step 13928 and then initiates  
10 wager exit process 13600 of FIG. 136 at step 13930.

Wager amount menu process 14000 is  
illustrated in FIG. 140. As shown, after process 14000  
begins at step 14002, prompts the user for a wager  
amount at step 14004. Once the user has entered a  
15 wager amount, process 14000 completes at step 14006.

Wager type menu process 14100 is illustrated  
in FIG. 141. As shown, after process 14100 has begun  
at step 14102, the process prompts the user for a wager  
type at step 14104 and then verifies the user selection  
20 at step 14106. Once the wager type selection has been  
verified at step 14106, process 14100 then completes at  
step 14108.

Horse selection menu process 14200 is shown  
in FIG. 142. As illustrated, process 14200 determines  
25 the wager type at step 14204 after process 14200 has  
initiated at step 14202. If the wager type is a win,  
place, or show, then process 14200 prompts the user for  
a horse selection at step 14206, verifies the selection  
at step 14208, and then terminates at step 14210. If  
30 the wager type is a win/place, win/show, or  
win/place/show, then process 14200 prompts the user for  
a horse selection at step 14212, verifies the selection

at step 14214, and then terminates at step 14216. If the wager type is not a win, place, show, win/place, win/show, or win/place/show, then process 14200 transfers control to process 14300 (FIG. 143) through  
5 steps 14218 and 14302. Then, if the wager type is an exacta, trifecta, or quinella, process 14300 prompts the user to select horses at step 14304. If more horses are needed to complete the wager, then process 14300 branches at step 14306 to step 14308 to prompt  
10 the user to select the next horse. Once all of the horses have been selected, process 14300 verifies the horse selections at step 14310 and completes at step 14312. Otherwise, if the wager type is a daily double, or a pick three or pick six, then process 13900 prompts  
15 the user to select horses at step 14314. If more horses are needed to complete the wager, then process 14300 branches at step 14316 to step 14318 to prompt the user to select the next horse. Once all of the horses have been selected, process 14300 verifies the  
20 horse selections at step 14320 and completes at step 14322.

Venue selection menu process 14400 is illustrated in FIG. 144. Once process 14400 has begun at step 14402, the process then prompts the user for a  
25 race number selection at step 14404. Next, process 14400 verifies the race number selection at step 14406 and then terminates at step 14408.

Track selection menu process 14500 is shown in FIG. 145. After process 14500 has begun at step  
30 14502, the process prompts the user for a track selection at step 14504. Process 14500 then verifies

the track selection at step 14506 and terminates at step 14508.

As stated above, if in response to the IVR interface main menu presented in step 12712 of FIG.

5 127, the user selects to hear his or her account balance, account balance process 14600 is initiated as illustrated in FIG. 146. As shown, once process 14600 begins at step 14602, the process then presents the user's account balance to the user at step 14604. The  
10 account balance presented may reflect wagers placed through any of the user interfaces available from set-top box 104, telephone 106, and computer 108 (FIG. 1). Process 14600 then transfers control back to step 12712 of process 12700 (FIG. 127) through steps 14606 and  
15 12724.

If the user selects to listen to win odds from the main menu presented in step 12712 of FIG. 127, process 14700 of FIG. 147 is executed. As shown, after process 14700 begins at step 14702, the process prompts  
20 the user for a track selection at step 14704 and verifies the track selection at step 14706. Next, process 14700 prompts the user for a race selection at step 14708 and then verifies the race selection at step 14710. The win odds for each horse are then presented  
25 to the user at step 14712. Once the interface has presented the win odds, process 14700 asks the user whether he or she wants to wager on the selected race, hear more odds for other races at the selected track, hear odds at other tracks, or return to the main menu.  
30 If the user selects to place a wager, process 14700 branches at step 14716 to step 12912 of FIG. 129 through steps 14718 and 12918. If the user selects to

hear more odds at the same track, process 14700  
branches at step 14720 back to step 14708. If the user  
selects to hear odds at other tracks, process 14700  
branches at step 14722 to step 14704. Otherwise,  
5 process 14700 transfers control to step 12712 of  
process 12700 of FIG. 127 through steps 14722  
and 12724.

If the user selects to listen to results from  
the main menu presented in step 12712 of FIG. 127,  
10 process 14800 of FIG. 148 is executed. As shown, after  
process 14800 begins at step 14802, the process prompts  
the user for a track selection at step 14804 and  
verifies the track selection at step 14806. Next,  
process 14800 prompts the user for a race selection at  
15 step 14808 and then verifies the race selection at step  
14810. The results for the selected race are then  
presented to the user at step 14812. Once the  
interface has presented the results, process 14800 asks  
the user whether he or she wants to hear more results  
20 for other races at the selected track, hear results at  
other tracks, or return to the main menu. If the user  
selects to hear more results at the same track, process  
14800 branches at step 14816 back to step 14808. If  
the user selects to hear results at other tracks,  
25 process 14800 branches at step 14818 to step 14804.  
Otherwise, process 14800 transfers control to step  
12712 of process 12700 of FIG. 127 through steps 14820  
and 12724.

Help process 14900 is illustrated in FIG.  
30 149. As shown, once process 14900 has begun at step  
14902, the process presents a series of pieces of help  
information to the user at steps 14904-14922. Once the

pieces of help information have been presented, process 14900 transfers control to step 12712 of process 12700 of FIG. 127 through steps 14924 and 12724.

Customization process 15000 is shown in FIG.

5 150. As illustrated, once process 15000 has begun at step 15002, the process presents initial information regarding the customization feature to the user at step 15004. Then at step 15006, process 15000 prompts the user to select whether the user wants select to hear  
10 both horse names and numbers, horse names only, expanded prompts, express prompts, horse odds when wagering, no horse odds when wagering, entry verifications, or no entry verifications, or whether the user wants to return to the main menu. The user  
15 selection is then stored and used by the IVR interface to control the corresponding features of other processes disclosed above. Finally, through steps 15008 and 12724 (FIG. 127), process 15000 returns control to step 12712 of process 12700 of FIG. 127.

20 Finally, exit process 15100 is shown in FIG. 151. As can be seen, after process 15100 has begun at step 15102, process 15100 determines at step 15104 if a wager has been placed. If a wager has been placed, process 15100 presents a first "thank you" message at  
25 step 15106 and then ends the call at step 15110. Otherwise, if a wager has not been placed, process 15100 presents a second "thank you" message at step 15108 and then ends the call at step 15110.

Thus systems and methods for interactive  
30 wagering using multiple types of user interfaces are described. One skilled in the art will appreciate that the present invention may be practiced by other than

the described embodiments, which are presented for purposes of illustration and not of limitation, and the present invention is limited only by the claims that follow.

100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000



WHAT IS CLAIMED IS:

1. A system for interactive wagering, comprising:
  - a database that stores data relating to wagering account information; and
  - a plurality of types of user interface systems that receive the wager account information stored in the database, that receive wager information from users, and that provide the wager account information received to the users.
2. The system of claim 1, wherein the plurality of types of user interface systems comprises:
  - a television wagering control system that provides the wager account information to a television distribution system and that receives the wager information from a television wagering terminal.
3. The system of claim 2, wherein the television distribution system is a cable system.
4. The system of claim 2, wherein the television distribution system is a satellite television system.
5. The system of claim 2, wherein the television wagering terminal is a cable television set-top box.
6. The system of claim 2, wherein the television wagering terminal is a satellite television receiver.

7. The system of claim 2, wherein the television wagering control system receives the wager information from the television wagering terminal via a telephone system connection.

8. The system of claim 2, wherein the television wagering control system receives the wager information from the television wagering terminal via a cable system connection.

9. The system of claim 2, wherein the television wagering control system receives the wager information from the television wagering terminal via a computer network connection.

10. The system of claim 1, wherein the plurality of types of user interface systems comprises:  
an interactive voice response control system that receives a telephone call from an external source, that provides, to the external source through the telephone call, voice prompts that correspond to the wager account information, and that receives wager information from the external source through the telephone call.

11. The system of claim 10, wherein the interactive voice response control system receives the wager information as signals generated in response to one or more telephone key depressions.

12. The system of claim 10, wherein the interactive voice response control system receives the

wager information as verbal commands that are spoken by a caller.

13. The system of claim 1, wherein the plurality of types of user interface systems comprises:

a computer wagering control system that provides the wager account information to an external computer and that receives wager information from the external computer.

14. The system of claim 13, wherein the computer wagering control system provides the wager account information to the external computer and receives the wager information from the external computer, through an Internet connection to the external computer.

15. The system of claim 13, wherein the computer wagering control system provides the wager account information to the external computer and receives the wager information from the external computer, through a telephone connection to the external computer.

16. The system of claim 13, wherein the computer wagering control system provides the wager account information to the external computer and receives the wager information from the external, computer through a wireless connection to the external computer.



television distribution system and the receiving wager information from the television wagering terminal further comprises receiving the wager information from the television wagering terminal via a telephone system connection.

24. The method of claim 18, wherein the providing the wager account information to the television distribution system and the receiving wager information from the television wagering terminal further comprises receiving the wager information from the television wagering terminal via a cable system connection.

25. The method of claim 18, wherein the providing the wager account information to the television distribution system and the receiving wager information from the television wagering terminal further comprises receiving the wager information from the television wagering terminal via a computer network connection.

26. The method of claim 17, further comprising:

receiving a telephone call from an external source, providing, to the external source through the telephone call, voice prompts that correspond to the wager account information, and receiving wager information from the external source through the telephone call.

27. The method of claim 26, wherein the receiving the telephone call from the external source, the providing, to the external source through the telephone call, voice prompts that correspond to the wager account information, and the receiving wager information from the external source through the telephone call further comprises receiving the wager information as signals generated in response to one or more telephone key depressions.

28. The method of claim 26, wherein the receiving the telephone call from the external source, the providing, to the external source through the telephone call, voice prompts that correspond to the wager account information, and the receiving wager information from the external source through the telephone call further comprises receiving the wager information as verbal commands that are spoken by a caller.

29. The method of claim 17, further comprising:

providing the wager account information to an external computer and receiving wager information from the external computer.

30. The method of claim 29, wherein the providing the wager account information to the external computer and the receiving wager information from the external computer further comprises providing the wager account information to the external computer and receiving the wager information from the external

computer, through an Internet connection to the external computer.

31. The method of claim 29, wherein the providing the wager account information to the external computer and the receiving wager information from the external computer further comprises providing the wager account information to the external computer and receiving the wager information from the external computer, through a telephone connection to the external computer.

32. The method of claim 29, wherein the providing the wager account information to the external computer and the receiving wager information from the external computer further comprises providing the wager account information to the external computer and receiving the wager information from the external computer, through a wireless connection to the external computer.

SYSTEMS AND METHODS FOR INTERACTIVE WAGERING  
USING MULTIPLE TYPES OF USER INTERFACES

Abstract of the Disclosure

5           The present invention is systems and methods  
for interactive wagering using multiple types of user  
interfaces. Preferred embodiments of these systems and  
methods incorporate a wagering data hub which controls  
the flow of data relating to wagers, wagering events,  
10 and wagering account and facilitates the use of a  
variety of user interfaces such as graphical user  
interfaces and interactive voice response interfaces.  
For example, a user of the present invention may use a  
television set-top box, a computer, a telephone, and/or  
15 any other suitable device. To communicate with the  
wagering data hub, television set-top boxes preferably  
use a two-way cable system, computers preferably use a  
computer network, and telephones preferably use a  
telephone network, although each may use any suitable  
20 mechanism or combination of mechanisms to communicate  
with wagering data hub.







FIG. 1

[illegible]




FIG. 3




FIG. 3A


[illegible]

FIG. 4


[illegible]

FIG. 5

604 600 601 606 602 608 610 612 614 616




FIG. 6

700




FIG. 7






FIG. 8

003095 0509




FIG. 9

1000

proBET  
Gulfstream

12:04 p

906

1012

1008

1002

1004

908

10/4

1010

1006

Track	AQU	GUL	OAK	SAN	TUR	SAM	FRG
Race	MRB	1	2	3	4	5	6
Type							

GUL

13




FIG. 11

1200

1204

1006

FIG. 12

[illegible]FIG. 13

0030063 05190 00000000

1400

proBET  
Gulfstream

12:04 p  
26 min to Race 2

Track	AQU	GUL	OAK	SAN	TUR	SAM	FRG
Race	MRB	1	2	3	4	5	6
Type	EXA	EXB	TRI	TRB	WIN	PLC	SHW
1st	ALL	1	2	3	4	5	6
2nd	ALL	1	2	3	4	5	6
3rd	ALL	1	2	3	4	5	6
Amt	50c	\$1	\$2	\$3	\$4	\$5	\$10

GUL, 2, TRI, 5, 2, 3+4+6, Total \$3

OK!

1402

FIG. 14




FIG. 15



1600




FIG. 16

0030053.06149  
0030053.06149




FIG. 17

1800




FIG. 18

12:04 p  
26 min to Race 2

**SEND** all bets

AQU,  
GUL,

BETS SENT

PETE AQU 2 Win \$5

PETE GUL 2 TRI \$3

New  
Dup  
Send  
Del

Next

1	2	3	4	5	6	7	8	9
7-1	5-1	3-5	12-1	90-1	2-3	10-1	8-1	3-2
10	11	12	13	14	15	16	17	18
5-4	99-1	5-3	2-1	60-1				

FIG. 19

**proBET**  
**Gulfstream**

12:04 p  
26 min to Race 2

1952

**SEND all bets**

**AQU.**

1956

BETS SENT

**PETE AQU 2 Win \$5**

PETE GUL 2 TRI \$3

KEVIN AQU 2 EXB \$20

CM      AQU 2      Win      \$2

**Bets in red  
failed to send**

Next

View

**Dup**

```
send
```

**DE**

1954

1904

FIG. 19a

00330953 06149  
001190" E560E260




FIG. 20


[illegible]

FIG. 21



proBET Gulfstream 12:04 p  
26 min to Race 2

2202

Track Race Type 1st 2nd 3rd Amt

ENTER PIN  
PETE  
Please enter your 4-digit PIN  
\*\*\*\*  
Cancel

FRG \$ SHW \$ \$ \$ \$10

GUL, 2, TRI, 5, 2, 3+4+6, Total \$3

FIG. 22 12



2300




FIG. 23

FIG. 24

60450-0300260




FIG. 25




FIG. 26

66790" 25000000




FIG. 27



601 2904 2902 2702

2900

601

2702

BUILD A BET  
Gulfstream

2902

12:04 p  
26 min to Race 2

Track	Race
GUL	2
Type	Amount
Horse(s)	
Total Cost	

Race Type Horse

Win Trifecta

Place Trifecta Box

Show Win-Place

Exacta Win-Place-Show


Exacta Box Place-Show

Quinella

2904

FIG. 29

3000



志





60799 2502260




FIG. 32



3300




FIG. 33

13400

2702

BUILD A BET  
Gulfstream

3402

12:04 p  
26 min to Race 2

**TVG**

Track	Race
GUL	2
Type	Amount
TRI	
Horse(s)	
1st- 5	
2nd- 2	
3rd- 3+4+6	
Total Cost	

Finish 2nd

Finish 3rd

Amount

6 Celtic

1 Parilla	8 Heartbreak...
2 Kris' Intention	9 Starbuck
3 D.J.'s Choc...	10 Gift Horse
4 Angeleno	11 My Dear Ab...
5 Timely Kitten	12 Vicenza
6 Celtic	13 Go Go
7 E.K. Cool	14 Lucky Strikes

FIG. 34

3500

2702

BUILD A BET  
Gulfstream

3502

12:04 p  
26 min to Race 2

Track	Race
GUL	2
Type	Amount
TRI	\$1
Horse(s)	
1st-	5
2nd-	2
3rd-	3+4+6
Total cost	
\$3	

Finish  
3rd

Amount

Bet  
Queue

50¢	\$15
\$1	\$20
\$2	\$25
\$3	\$30
\$4	\$50
\$5	\$75
\$10	\$100

3506

3504

FIG. 35

3600




FIG. 36





3800

66T90" E360E60




FIG. 38

3900

0039095 06490 0039095




FIG. 39

4000




FIG. 40

4100




FIG. 41

4200





FIG. 42



667790" C960E660

4400



# BUILD A BET

## Gulfstream

26 min 42:04 p  
Race 2

ODDS	
Track	Reco
GUL	2
1 7-1	8 8-1
2 5-1	9 3-2
3 3-5	10 5-4
4 12-1	11 99-1
5 90-1	12 5-3
6 2-3	13 2-1
7 10-1	14 60-1

Finish  
3rd

Amount

Bet  
Queue

SEND all bets

AQU 2 \$5 Win 1 \$5

GUL 2 \$1 TRI 5,2,3... \$3

BET

New

Dup

Send

Del

Menu

PETE's Total Bets \$8

1  
3606

3602

3610

FIG. 44



4500




FIG. 45



ODDS		
Track	Race	
<b>GUL</b>	<b>2</b>	
1	7-1	8-1
2	5-1	3-2
3	3-5	5-4
4	12-1	99-1
5	90-1	5-3
6	2-3	2-1
7	10-1	60-1

Finish  
3rd

Amount

## Bet Queue

4602

**SEND all bets**

ENTER PIN

**KEVIN**


**Please enter your 4-digit PIN**

\*\*\*\*

Cancel

FIG. 46

4700



**BUILD A BET**  
Gulfstream

12:04 p  
26 min to Race 2

ODDS	
Track	Race
GUL	2
1 7-1	8 8-1
2 5-1	9 3-2
3 3-5	10 5-4
4 12-1	11 99-1
5 90-1	12 5-3
6 2-3	13 2-1
7 10-1	14 60-1

Finish  
3rd

Amount

Bet  
Queue

**DUPLICATE a bet**

AQU 2 \$5 Win 1 \$5

GUL 2 \$1 TRI 5,2,3... \$3

BET

New

Dup

Send

Del

Menu

PETE's Total Bets \$8

↑  
3606

FIG. 47

<b>TVG</b>	
Track	Rate
<b>AQU</b>	<b>2</b>
Type	Amount
<b>WIN</b>	<b>\$5</b>
Horse(s)	
<b>1</b>	
<b>PETE</b>	
Total Cost	
<b>\$5</b>	

Finish  
3rd

Amount

## Bet Queue

4802  
↓

**DUPLICATE a bet**

**AQU 2 \$5 Win 1 \$5**

**GUL 2 \$1 TRI 5,2,3... \$3**

**BET**

## New

**Dup**

**Send**

Del

## Menu

**PETE's Total Bets \$8**

FIG. 48

1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440	2441	2442	2443	2444
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------





FIG. 49

5000

 BUILD A BET  
Aqueduct

12:04 p  
26 min to Race 2

ODDS	
Track	Place
AQU	2
1 7-1	8-1
2 5-1	3-2
3 3-5	5-4
4 12-1	99-1
5 90-1	5-3
6 2-3	2-1
7 10-1	60-1

Finish 3rd Amount Bet Queue

DELETE a bet

AQU 2	\$5	Win 1	\$5	BET
AQU 2	\$5	Win 1	\$5	New
AQU 2	\$5	Win 1	\$5	Dup
GUL 2	\$1	TRI 5,2,3...	\$3	Send
				Del
				Menu

PETE's Total Bets \$13

3606

FIG. 50

**BUILD A BET**  
**Aqueduct**

12:04 p  
 26 min to Race 2

Track	Race
AQU	2
Type	Amount
Win	\$5
Horse(s)	
1	
<b>PETE</b>	
Total Cost	
<b>\$5</b>	

**Finish**  
3rd

**Amount**

**Bet**  
Queue

**DELETE a bet**

5102

AQU 2	\$5	Win 1	\$5
AQU 2	\$5	Win 1	\$5
GUL 2	\$1	TRI 5,2,3...	\$3

**BET**

**New**

**Dup**

**Send**

**Del**

**Menu**

**PETE's Total Bets \$13**

FIG. 51

S200





FIG. 52

5300

661150 23002200



**BUILD A BET**  
Aqueduct

12:04 p  
26 min to Race 2

ODDS		Finish	Amount	Bet Queue
Track	Race	3rd		
AQU	2			
1 7-1	8-1	Build a NEW Bet		BET
2 5-1	3-2	AQU 2 \$5 Win 1	\$5	New
3 3-5	5-4	GUL 2 \$1 TRI 5,2,3...	\$3	Dup
4 12-1	99-1			Send
5 90-1	5-3			Del
6 2-3	2-1			Menu
7 10-1	60-1			

PETE's Total Bets

\$8

3610  
↓

FIG. 53






FIG. 54

# HANDICAPPING

12:04 p

**TVG**

Date

April 14

Track	1st Race
AQU	11:00a
GUL	11:30a
LSP	11:30a
CAL	12:30p
CHD	1:00p
TUR	1:30p
BMP	1:30p
TPD	2:00p
BAY	2:45p
DEL	3:00p

Track

Race

Options

Aqueduct

Turf Paradise

Gulfstream

Lone Star Park

Turfway Park

Balmoral Park

Calder

Del Mar

Churchill Downs

Bay Meadows

5506


FIG. 55







5900



HANDICAPPING  
Aqueduct

12:04 p  
26 min to Race 2

13 and	
Track	Race
AQU	2
1 524	8 396
2 429	9 425
3 1023	10 scr
4 198	11 298
5 562	12 340
6 455	13 -
7 404	14 -

Options

Exacta  
Will Pay

Exacta  
Matrix

Select to bet

1 Forest Frankie

8 TV Arc

2 Dance for Pie

9 Dream of He...

3 Ashore

10 Boncom

4 Aguafiestas

11 Powerful M...

5 Holy Runner

12 Radiodifusor

6 Rich in Silver

13 My Guy Jase

7 Kelly's Hero

FIG. 59

093093.06169  
56750" E560E60



6/00

6/02

HANDICAPPING  
Aqueduct

12:04 p  
26 min to Race 2

ODDS	
Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	SCR
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

Exacta  
Will Pay

Exacta  
Matrix

Win  
%

	3 and	and 3	3 and	and 3
1	434	404	8	290 294
2	341	319	9	361 350
3	-	-	40	SCR
4	152	163	11	204 234
5	459	462	12	248 243
6	388	378	13	998 1023
7	333	334		

FIG. 61

6/00 6/02 6/03 6/04 6/05 6/06 6/07 6/08 6/09 6/10 6/11 6/12 6/13 6/14 6/15 6/16 6/17 6/18 6/19 6/20 6/21 6/22 6/23 6/24 6/25 6/26 6/27 6/28 6/29 6/30 6/31 6/32 6/33 6/34 6/35 6/36 6/37 6/38 6/39 6/40 6/41 6/42 6/43 6/44 6/45 6/46 6/47 6/48 6/49 6/50 6/51 6/52 6/53 6/54 6/55 6/56 6/57 6/58 6/59 6/60 6/61 6/62 6/63 6/64 6/65 6/66 6/67 6/68 6/69 6/70 6/71 6/72 6/73 6/74 6/75 6/76 6/77 6/78 6/79 6/80 6/81 6/82 6/83 6/84 6/85 6/86 6/87 6/88 6/89 6/90 6/91 6/92 6/93 6/94 6/95 6/96 6/97 6/98 6/99 6/100



6200



# HANDICAPPING Aqueduct

12:04 p  
26 min to Race 2

ODDS	
Track	Race
AQU	2
1 10-1	8 4-1
2 7-1	9 9-1
3 22-1	10 scr
4 4-1	11 9-2
5 13-1	12 3-5
6 10-1	13 30-1
7 7-1	14

Exacta  
Will Pay

Exacta  
Matrix

Win  
%

13 and and 13

13 and and 13

1	524	519	8	396	389
2	429	425	9	425	427
3	1023	1023	10	scr	
4	198	200	11	298	297
5	562	560	12	340	337
6	455	457	13	-	-
7	404	403			

FIG. 62

657P.03 "E. S60E260

6300




FIG. 63

6300" 6300" 6300"


6400

6402

6406

6404

6400 6402 6404 6406



# HANDICAPPING

Aqueduct

12:04 p

26 min to Race 2

ODDS	
Track	Race
AQU	2
1 10-1	8 4-1
2 7-1	9 9-1
3 22-1	10 scr
4 4-1	11 9-2
5 13-1	12 3-5
6 10-1	13 30-1
7 7-1	14

Exacta Matrix

Win %

Win Pool

Horse	Win	Place	Show
1	16%	18%	22%
2	1%	2%	2%
3	28%	23%	23%
4	2%	2%	4%
5	3%	1%	2%
6	9%	8%	9%
Total	10,214	3,615	2,177

FIG. 64



6600

**HANDICAPPING**  
Aqueduct

26 min to 12

6602

ODDS		Exacta Matrix	Win %	Win Pool
Track	Race			
AQU	2			
1 10-1	8 4-1	Horse	Win	Place
2 7-1	9 9-1	1	1676	653
3 22-1	10 scr	2	176	66
4 4-1	11 9-2	3	2821	819
5 13-1	12 3-5	4	226	86
6 10-1	13 30-1	5	285	53
7 7-1	14	6	916	284
		Total	10,214	3,615
				2,177

FIG. 66







HANDICAP  
Aqueduct

12:04 p  
26 min to Race 2

ODDS	
Track	Race
AQU	2
1 10-1	8 4-1
2 7-1	9 9-1
3 22-1	10 scr
4 4-1	11 9-2
5 13-1	12 3-5
6 10-1	13 30-1
7 7-1	14

Options

Snapshot

Records

1 Parilla

Horse	Days Off	Wins/ Starts	Power Rating	Morning Line
1	18	0 / 3	64.9	4 / 1
2	10	0 / 2	52.6	12 / 1
3	6	0 / 6	58.8	20 / 1
4	19	0 / 4	66.8	5 / 1
5	24	0 / 1	65.0	7 / 2
6	37	0 / 2	55.3	30 / 1

FIG. 69

0930023, 051109



HANDICAP  
Aqueduct

12:04 p  
26 min to Race 2

ODDS	
Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	SCR
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

Snapshot

Records

Speed &  
Class

3 D.J.'s Chocolate

Horse	\$			
▲	Races	Wins	Seconds	Won
3	11	0	0	165
4	12	0	3	3751
5	9	0	1	1047
6	7	0	4	7918
7	9	0	0	0
8	6	0	0	0

FIG. 70

# HANDICAPPING Aqueduct

12:04 p  
26 min to Race 2

ODDS	
Track	Rate
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

3 D.J.'s Chocolate				
Horse	Speed	Avg	This	Last
Last Race Speed Class Class				
3	59	68	74	75
4	56	69	74	74
5	60	50	74	71
6	75	72	74	75
7	65	69	74	75
8	51	60	74	68

FIG. 71



7300

7302  
↓

**HANDICAP**  
**Aqueduct**

12:04 p  
26 min to Race 2

ODDS

Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

Options

Records

Recent Wins

3 Herbert Reed

Trainer

	Races	Wins	Seconds	Avg
3	11	0	0	.165
4	12	0	3	.375
5	9	0	1	.228
6	7	0	4	.312
7	9	0	0	.447
8	6	0	0	.189

FIG. 73

667733 23606660

7400

HANDICAPPING 7402 12:04 p  
Aqueduct 26 min to Race 2

ODDS

Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	


Records Recent Wins Pairings

3 Herbert Reed

Trainer	Last	Last	Last
4	10	20	50
3	1	2	4
4	3	3	6
5	2	4	8
6	2	3	6
7	1	3	6
8	5	6	8

FIG. 74

7500



**HANDICAPPING**  
Aqueduct

12:04 p  
26 min to Race 2

**ODDS**

Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

RecordsRecent WinsPairings

3 Herbert Reed

Trainer --This Horse-- --This Jockey--

	Starts	Wins	Starts	Wins
3	5	1	4	1
4	6	1	1	0
5	0	0	2	0
6	7	2	0	0
7	6	0	3	0
8	1	0	6	2

7500

FIG. 75

7600




FIG. 76



7700

66730" 2960260



**HANDICAPPING**  
Aqueduct

12:04 p  
26 min to Race 2

7702  
↓

ODDS	
Track	Race
<b>AQU</b>	<b>2</b>
1 10-1	8 4-1
2 7-1	9 9-1
3 22-1	10 scr
4 4-1	11 9-2
5 13-1	12 3-5
6 10-1	13 30-1
7 7-1	14

Options
**Records**
Recent Wins

Jock / 3 Dana Abell  
Dvr


	Races	Wins	Seconds	Avg
3	11	0	0	.125
4	12	0	3	.355
5	9	0	1	.272
6	7	0	4	.486
7	9	0	0	.218
8	6	0	0	.323

FIG. 77



7800

7802



HANDICAPPING

Aqueduct

12:04 p  
26 min to Race 2

ODDS

Track	Base
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

Records

Recent Wins

Pairings

Jock / Drvr	3 Dana Abell	Last	Last	Last
		10	20	50
3	1	2	4	
4	3	3	6	
5	2	4	8	
6	2	3	6	
7	1	3	6	
8	5	6	8	

FIG. 78

# HANDICAPPING Aqueduct

12:04 p  
26 min to Race 2

ODDS	
Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

Records		Recent Wins		Pairings	
Jock /	3 Dana Abell				
Drvr	--This Horse--		--This Trainer--		
▲	Starts	Wins	Starts	Wins	
3	5	1	4	1	
4	6	1	1	0	
5	0	0	2	0	
6	7	2	0	0	
7	6	0	3	0	
8	1	0	6	2	
▼					

FIG. 79





8200





FIG. 82



8400



# HANDICAPPING

## Aqueduct

26 min

8402

ODDS

Track	Place
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

Options

AXCIS

DRF

#5 Timely Kitten

Has been running soundly and the TrackMaster Speed Ratings are among the most favorable in the group. A strong shot here.

#1 Parilla

Looks really strong to be on or close to lead at the first call. Well suited for today's race.

FIG. 84

0030966-001109



667750" 25602650




FIG. 85



667750\*E960EE60

8600



**HANDICAPPING**  
Aqueduct

12:04 p  
26 min to Race 2

8602

Options

Post Position

Race Info

ODDS	
Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

	PP		PP
1 Parilla	3	8 Heartbre...	12
2 Kris' Inte...	5	9 Starbuck	2
3 D.J.'s Ch...	6	10 Gift Horse	11
4 Angeleno	1	11 My Dear ...	4
5 Timely Ki...	9	12 Vicenza	7
6 Celtic	14	13 Go Go	8
7 E.K. Cool	13	14 Lucky St...	10

FIG. 86

ODDS			
Track		Race	
AQU		2	
1	10-1	8	4-1
2	7-1	9	9-1
3	22-1	10	scr
4	4-1	11	9-2
5	13-1	12	3-5
6	10-1	13	30-1
7	7-1	14	

## Options

## Post Position

## Race Info

8702

**Race Length: Six Furlongs**

Track Type: Turf

Race Type: Claiming

**Purse: \$10,500**

**Horse: Fillies, Age 3**

**Weight: 122 lbs.**

**Claiming Price: \$20,000**

FIG. 87

**HANDICAPPING**  
**Aqueduct**

12:04 p  
26 min to Race 2

5708

**ODDS**

Track	Race
AQU	2
1 10-1	8 4-1
2 7-1	9 9-1
3 22-1	10 SCR
4 4-1	11 9-2
5 13-1	12 3-5
6 10-1	13 30-1
7 7-1	14

**Race** **Options** **Data / Info**

**Program**  
Odds / Probables  
Commentary  
More Services

**Horse Data**  
Trainer Stats  
Jockey / Driver  
Track Data

8802

FIG. 88

FIG. 89

[illegible]

0930963 06109

9000

HANDICAPPING  
Aqueduct

12:04 p  
26 min to Race 2

9002

ODDS	
Track	Race
AQU	2
1 10-1	4-1
2 7-1	9-1
3 22-1	scr
4 4-1	9-2
5 13-1	3-5
6 10-1	30-1
7 7-1	

Options Data / Info Picks

For more selections contact the following:

XXXXXXXXXX	999-999-9999 www.xxxxxxxx.com
XXXXXXXXXX	999-999-9999 www.xxxxxxxx.com
XXXXXXXXXX	999-999-9999 www.xxxxxxxx.com

FIG. 90

9100




FIG. 91

501130 03000000




FIG. 92

607150 25002200




FIG. 93



9400



13

9500

60730-25002260




FIG. 95

[illegible]

9600




FIG. 96

9700

0030053 054109 66T90 2500E60




FIG. 97

13

-9800

001150" 09000000




FIG. 98

**INFORMATION** 12:04 pm 9902

**Options** **Track** **News**

**TVG**  
Date  
**April 14**

Track	1st Race
AQU	11:00p
GUL	11:30p
OAK	12:00p
SAN	12:15p
TUR	12:30p
SAM	1:00p
FRG	1:15p
PEN	1:15p
BRD	1:30p
TPD	2:00p

**Aqueduct** **Sam Houston**  
**Gulfstream** **Fairgrounds**  
**Oaklawn** **Penn National**  
**Santa Anita** **Blue Ribbon**  
**Turfway Park** **Turf Paradise**

[illegible]






FIG. 101



12:04 p

1. *Journal of the American Medical Association*, 2000; 284: 2689-2695.

**April 14**

Track	1st Race
AQU	11:00p
GUL	11:30p
OAK	12:00p
SAN	12:15p
TUR	12:30p
SAM	1:00p
FRG	1:15p
PEN	1:15p
BRD	1:30p
TPD	2:00p

**TVG  
News**

10202

## et queue

## Balance

TVG News goes here

**Special interest items in this category are placed on the following tabs.**

FIG. 102

[illegible]

10300




FIG. 103

10400




FIG. 104

10500

12:04 p

10502

**TVG  
News**

## Bet Queue

## Balance

**April 14**

Track	Est. Race
AQU	11:00p
GUL	11:30p
OAK	12:00p
SAN	12:15p
TUR	12:30p
SAM	1:00p
FRG	1:15p
PEN	1:15p
BRD	1:30p
TPD	2:00p

## Build A NEW Bet

**AQU 2 \$10 EXB 1 +3 \$20**

**BET**

## New

## Dip

**Send**

Del

## Menu

**KEVIN's Total Bets \$20**

FIG. 105

[illegible]

661190 2360E60





FIG. 106

10700

  
Date  
**April 14**  
Track    Est Race  
AQU    11:00p  
GUL    11:30p  
OAK    12:00p  
SAN    12:15p  
TUR    12:30p  
SAM    1:00p  
FRG    1:15p  
PEN    1:15p  
BRD    1:30p  
TPD    2:00p

**PLAYER INFORMATION**    12:04 p  
**Bet Queue**    **Balance**    **History**  
03-26 AQU 2 \$10 EXB 3+1    \$20  
03-23 GUL 5 \$5 EXA 7,9    \$5  
03-23 CHD 7 \$20 PLA 12    \$20  
03-22 SAN 3 \$2 EXB 3+7    \$4  
03-16 GUL 2 \$1 TRI 2,3,5+... \$3  
02-25 AQU 2 \$5 Win 5    \$5

10702

00330063 064100

FIG. 107




FIG. 108





00330063.064100 001750" 09600000



FIG. 110

00T50"E960EE60




FIG. 111

11200

SETUP

12:04 p

TVG	
Players	Active
KEVIN	YES
JON	no
JONI	no
PETE	YES
CHRIS	no
SETH	no
JENNY	no
CM	YES
BETTY	no

Player

System

11202

Add Player

PLAYER PIN

JOE

Enter your 4-digit PIN \*\*\*\*

Re-enter PIN

Use the numeric keypad  
located on your remote

Cancel

FIG. 112

11300




FIG. 113

11400

SETUP

12:04 p

TVG

Players	Active
KEVIN	YES
JON	no
JONI	no
PETE	YES
CHRIS	no
SETH	no
JENNY	no
CM	YES
BETTY	no
JOE	YES

Player

System

Delete Player

Add Player

11402

DELETE PLAYER

Are you sure  
you want to delete  
BETTY?

Yes

Cancel

FIG. 114




FIG. 115


[illegible]

FIG. 116



66430-ES002600

11700




FIG. 117



12:04 p

TVG	
Players	Active
KEVIN	YES
JON	no
JONI	YES
PETE	YES
CHRIS	no
SETH	no
JENNY	no
CM	YES
JOE	YES

Player

## System

## Change Player PIN

## Additions

## CHANGE PLAYER PIN

KEVIN

**Your PIN has successfully  
been changed**

## Next

11802

FIG. 118

**SETUP** 12:04 p

**TVG**

Player	Status
KEVIN	YES
JON	no
JONI	YES
PETE	YES
CHRIS	no
SETH	no
JENNY	no
CM	YES
JOE	YES

**Player** **System**

Does your phone require a number to dial out? **No**

Number to dial out **0**

Does your phone service have Call Waiting? **No**

Code to disable Call Waiting **\*70**

**Menu**

Handwritten labels: 10908, 0, 10902

FIG. 119




FIG. 120




FIG. 121

12200




FIG. 122




FIG. 123

0930063 061109 66790 29602260

12402

12408

12400

12410

12422

12406

Finish 2nd Finish 3rd Amount

ODDS	#	HORSE
4-1	1	Parilla
12-1	2	Kris' Intention
6-1	3	D.J.'s Chocolate
3-1	4	Angeleno
20-1	5	Timely Kitten
60-1	6	Celtic
7-1	7	E.K. Cool
10-1	8	Parilla
7-1	9	Kris' Intention
9-1	10	D.J.'s Chocolate
22-1	11	Angeleno
12-1	12	Timely Kitten
9-5	13	Celtic
5-4	14	E.K. Cool

GULFSTREAM 12:04p

RACE 2 Min to Post: 26

Track	Race	Type
GUL	2	TRI

Horse (s)

1st- 5  
2nd- 2  
3rd- 3+4+6

Amount

Total Cost

12418

12420

12412

12414

12416

12404

FIG. 124





[illegible]

12600

12602

12606

12608

12610

12604

12608

GULFSTREAM / RACE 2				Min to Post 26		12:04 p	
ODDS	#	HORSE	ODDS	#	HORSE		
4-1	1	Parilla	10-1	8	Parilla		
12-1	2	Kris' Intention	7-1	9	Kris' Intention		
6-1	3	D.J.'s Chocolate	9-1	10	D.J.'s Chocolate		
3-1	4	Angeleno	22-1	11	Angeleno		
20-1	5	Timely Kitten	12-1	12	Timely Kitten		
60-1	6	Celtic	9-5	13	Celtic		
7-1	7	E.K. Cool	5-4	14	E.K. Cool		

FIG. 126

FIG. 127




FIG. 127

[illegible]

FIG. 128

Start Wager Entry  
Common Dialog

"Track Selection Menu, Enter the track number followed by the # key, There are  
<number\_of\_tracks> tracks available today. To select 'track name 1' enter '1', To  
select 'track name 34' enter '34', To select 'track name n' enter 'n'..."  
XP: "Track Selection Menu, Today's tracks are 'track name 1' '1', and 'track name  
n' 'n'..."  
XP2: "Track Selection Menu, Today's tracks are 'm', and 'n',...."

"You have selected 'track name'"

"Venue Selection Menu, Enter the race number followed by the # key. There are  
<number\_of\_races\_open> available to wager on at 'track name' To select race number 1  
enter '1',...."  
XP1: "Venue Selection Menu, Open venues at 'track name' are '1' and '2' and 'n'...  
XP2: "Venue Selection Menu, Open venues are 'm' through 'n'"

"You have selected race number 'n'"

"Wager Type Menu, Enter your selection followed by the # key, For a win wager  
enter 1, For a place wager enter 2, For a show wager enter 3, For ...."  
XP: "Wager Type Menu, For a win wager enter 1, for place enter 2, for show enter  
3,...."

"You have selected a 'wager\_type' wager."

C

(FIG. 130)

FIG. 129




FIG. 130

13100




FIG. 131

continued on next page




FIG. 132

13302 13300

13304

Start Win/Place, Win/  
Show, Win/Place/Show  
Wager Dialog

"Horse Selection Menu, Enter the horse number followed by the # key. There are  
<number\_of\_horses> available to wager on in this race. To select 'horse name' enter 'n',...."  
XP1: "Horse Selection Menu, Horses for this race are 'horse name1' '1' and 'horse name2' '2'  
and 'horse name n' 'n'..."  
XP2: "Horse Selection Menu, Horses are 'm' through 'n'"

13306

"You have selected horse number 'n'"

13308

"Wager Amount Menu, Enter your wager amount followed by the  
# key, Wager amounts for this race are 'm', and 'n', and ..."  
XP: "Wager Amount Menu, Wager amounts are 'm', and 'n'..."  
XP2: "Wager Amount Menu, Wager amount:"

13310

"Confirmation: You have placed a 'wager type' wager of 'amount' at track  
'track name' for race number 'race number' on horse 'horse name' for a total  
wager cost of 'total\_amount'. To submit this wager enter 1, To cancel this  
wager enter 2, To change your wager enter 3, To end this call enter 4.  
XP with echo: "Confirmation: To submit this wager enter 1, to cancel enter 2,  
to change enter 3, to disconnect enter 4."

13312

Confirmed?

13314

Wager Exit  
Dialog  
Connector E  
(FIG. 136)

13316

Change?

13318

Wager Change  
Dialog  
Connector F  
(FIG. 137)

13320

"Your wager has been canceled"

13322

Wager Exit  
Dialog  
Connector G  
(FIG. 136)

FIG. 133






FIG. 134




FIG. 135

13600




FIG. 136




FIG. 138




FIG. 138

13902

13900

13904

Exacta, Trifecta,  
Quinella

"Confirmation: You have placed a 'wager type' wager of amount' at track 'track name' for race number 'race number' on horses 'horse name' and 'horse name...' for a total wager cost of 'total\_amount'. To submit this wager enter 1, To cancel this wager enter 2, To change your wager enter 3, To end this call enter 4.  
XP with echo: "Confirmation: To submit this wager enter 1, to cancel enter 2, to change enter 3, to disconnect enter 4."

Confirmed?

Wager Exit  
Dialog  
Connector E  
(FIG. 136)

Change?

Wager Change  
Dialog  
Connector F  
(FIG. 137)

"Your wager has been canceled"

Wager Exit  
Dialog  
Connector G  
(FIG. 136)

Daily Double  
Pick Three/Six

"Confirmation: You have placed a 'wager type' wager of amount' at track 'track name' for race number 'race number' on horses 'horse name' and in the <2nd,3rd> leg 'horse name...' for a total wager cost of 'total\_amount'. To submit this wager enter 1, To cancel this wager enter 2, To change your wager enter 3, To end this call enter 4.  
XP with echo: "Confirmation: To submit this wager enter 1, to cancel enter 2, to change enter 3, to disconnect enter 4."

Confirmed?

Wager Exit  
Dialog  
Connector E  
(FIG. 136)

Change?

Wager Change  
Dialog  
Connector F  
(FIG. 137)

"Your wager has been canceled"

Wager Exit  
Dialog  
Connector G  
(FIG. 136)

FIG. 139




FIG. 140




FIG. 141








FIG. 143

Downloaded from www.scribd.com




FIG. 144




FIG. 145




FIG. 146




FIG. 147




FIG. 148

Start Help Dialog

"Entry help: All entries made on the TVG Automated Wagering system are ended by pressing the # key. The # key serves a similar role to the enter key on a computer to submit your request."

"You do not have to wait for the full prompt to play out before entering your request."

"For clearing and reentering an entry enter \*#. For example, if you enter a wrong key, but have not yet completed the entry with the # key press \*#. This will clear the incorrect entry and allow you to reenter the current value."

"For detail help or menu explanation for a given menu prompt, enter \*0# at that menu"

"Wagering help: the '\*' key is used to separate the horse numbers entered in box and wheel wagers. The '0' key is used in wheel wagers to indicate that all horses should be wheeled in the current position."

"Navigation help: For menu navigation, enter \*# to back up one dialog step, enter \*\*# to return to the main menu."

"Example for backing up one level example. If you entered the wrong horse in the horse number entry dialog and are now in the wager amount dialog enter \*#. This will return you to the horse number entry dialog."

"Example for returning to the main menu. If you are most of the way through a wager and you decide to wager on a different race enter \*\*#. This will return you to the main menu."

"For customization help, please return to the main menu and selection the customization menu."

"For a call flow help sheet visit our web site at [www.televisiongames.com](http://www.televisiongames.com) or for account assistance please call TVG customer service at 1-888-TVG-WINS that's 1-888-884-9467"

A

(FIG. 127)

FIG. 149






FIG. 150

15100  
↓




FIG. 151

As a below named inventor, I hereby declare that:

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

the specification of which

[ ] was filed on \_\_\_\_\_  
as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_  
(if applicable)

I do not know and do not believe that the invention was ever patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application.

I do not know and do not believe that the invention was in public use or on sale in the United States of America more than one year prior to this application.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known by me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

			<u>Priority Claimed</u>	
			<input type="checkbox"/>	<input type="checkbox"/>
<u>(Number)</u>	<u>(Country)</u>	<u>(Day/Month/Year Filed)</u>	Yes	No
<u>                    </u>	<u>                    </u>	<u>                    </u>	<input type="checkbox"/>	<input type="checkbox"/>
<u>(Number)</u>	<u>(Country)</u>	<u>(Day/Month/Year Filed)</u>	Yes	No

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>(Provisional Application No.)</u>	<u>(Filing Date)</u>
--------------------------------------	----------------------

<u>(Provisional Application No.)</u>	<u>(Filing Date)</u>
--------------------------------------	----------------------

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known by me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>(Application Serial No.)</u>	<u>(Filing Date)</u>	<u>(Status) (patented, pending, abandoned)</u>
---------------------------------	----------------------	--

<u>(Application Serial No.)</u>	<u>(Filing Date)</u>	<u>(Status) (patented, pending, abandoned)</u>
---------------------------------	----------------------	--

As a named inventor, I hereby appoint the following attorneys to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith:

<u>Robert C. Morgan, Esq. (Reg. No. 30,199),</u>
<u>Joseph M. Guiliano, Esq. (Reg. No. 36,539),</u>
<u>G. Victor Treyz, Esq. (Reg. No. 36,294), and</u>
<u>Matthew T. Byrne, Esq. (Reg. No. 40,934)</u>

Send correspondence to: Matthew T. Byrne  
FISH & NEAVE  
1251 Avenue of the Americas  
New York, New York 10020-1104

Direct telephone calls to: Matthew T. Byrne  
(212) 596-9000

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of first joint inventor Richard Earl McNutt

First Inventor's signature \_\_\_\_\_  
Date \_\_\_\_\_

Residence 712 Knob Ct., Lafayette, Colorado 80026  
Citizenship U.S.A.  
Post Office Address 712 Knob Ct., Lafayette, Colorado 80026

Full name of second joint inventor Thomas Laszlo Aronson

Second Inventor's signature \_\_\_\_\_  
Date \_\_\_\_\_

Residence 1473 Periwinkle Drive, Boulder, Colorado 80304  
Citizenship U.S.A.  
Post Office Address 1473 Periwinkle Drive, Boulder,  
Colorado 80304

Full name of third joint inventor Masood Garahi

Third Inventor's signature \_\_\_\_\_

\_\_\_\_\_ Date

Residence 2802 North Torreys Peak Drive, Superior,  
Colorado 80027

Citizenship U.S.A.

Post Office Address 2802 North Torreys Peak Drive, Superior  
Colorado 80027

Full name of fourth joint inventor Alice June Courtney

Fourth Inventor's signature \_\_\_\_\_

\_\_\_\_\_ Date

Residence 2969 Shady Hallow East, Boulder, Colorado 80834

Citizenship U.S.A.

Post Office Address 2969 Shady Hallow East, Boulder,  
Colorado 80834

Full name of fifth joint inventor Ben Springborn

Fifth Inventor's signature \_\_\_\_\_

\_\_\_\_\_ Date

Residence 13588 West Virginia Drive, Lakewood,  
Colorado 80228

Citizenship U.S.A.

Post Office Address 13588 West Virginia Drive, Lakewood  
Colorado 80228

Full name of sixth joint inventor Douglas Vaughn Ramsey

Sixth Inventor's signature \_\_\_\_\_

\_\_\_\_\_ Date

Residence 2034 Buchanan Point, Lafayette, Colorado 80026

Citizenship U.S.A.

Post Office Address 2034 Buchanan Point, Lafayette,  
Colorado 80026

Full name of seventh joint inventor Eric Frank Stimmel

Seventh Inventor's signature \_\_\_\_\_

\_\_\_\_\_ Date

Residence 750 West Hemlock Cir., Louisville, Colorado 80027

Citizenship U.S.A.

Post Office Address 750 West Hemlock Cir., Louisville,  
Colorado 80027

Full name of eighth joint inventor Erik Thomas Russell Olsen

Eighth Inventor's signature \_\_\_\_\_

\_\_\_\_\_ Date

Residence 10788 W. 107th Cir., Westminster, Colorado 80021

Citizenship U.S.A.

Post Office Address 10788 W. 107th Cir., Westminster,  
Colorado 80021

Full name of ninth joint inventor James Howard Darr

Ninth Inventor's signature \_\_\_\_\_

\_\_\_\_\_ Date

Residence 9325 W. 81st Place, Arvada, Colorado 80005

Citizenship U.S.A.

Post Office Address 9325 W. 81st Place, Arvada,  
Colorado 80005

Full name of tenth joint inventor Rodney John Gaidies

Tenth Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_

Residence 16451 W. Ellsworth Avenue, Golden, Colorado 80401

Citizenship U.S.A.

Post Office Address 16451 W. Ellsworth Avenue, Golden,  
Colorado 80401

Full name of eleventh inventor Connie T. Marshall

Eleventh Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_

Residence 2991 S. Woodland Road, Muskogee, Oklahoma 74403

Citizenship U.S.A.

Post Office Address 2991 S. Woodland Road, Muskogee,  
Oklahoma 74403

Full name of twelfth joint inventor Jon Charles Zaring

Twelfth Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_

Residence 2243 E. 8th Street, Tulsa, Oklahoma 74104

Citizenship U.S.A.

Post Office Address 2243 E. 8th Street, Tulsa,  
Oklahoma 74104

Full name of thirteenth joint inventor Kevin Dwight  
Satterfield

Thirteenth Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_

Residence 102 Elk Ridge Drive, Mannford, Oklahoma 74044

Citizenship U.S.A.

Post Office Address 102 Elk Ridge Drive, Mannford,  
Oklahoma 74044